

**CENTERPOINT ENERGY TEXAS
PURCHASED GAS ADJUSTMENTS (PGA)**



AUGUST 2026

Division	Billing Month	Residential Rate Schedule & PGA		General Service-Small Rate Schedule & PGA		General Service-Large Rate Schedule & PGA	
Beaumont (PGA)	August 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
Beaumont (Storage)			\$0.74680/Ccf		\$0.74680/Ccf		\$0.73186/Ccf
Beaumont (CRR)			\$0.00361/Ccf		\$0.00361/Ccf		\$0.00354/Ccf
Beaumont (Total Filed with RRC)			\$0.21838/Ccf		\$0.21838/Ccf		\$0.21400/Ccf
			\$0.96879/Ccf		\$0.96879/Ccf		\$0.94940/Ccf
East Texas	August 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
East Texas (Storage)			\$0.73186/Ccf		\$0.73186/Ccf		\$0.73186/Ccf
East Texas (CRR)			\$0.00354/Ccf		\$0.00354/Ccf		\$0.00354/Ccf
East Texas (Total Filed with RRC)			\$0.21400/Ccf		\$0.21400/Ccf		\$0.21400/Ccf
			\$0.94940/Ccf		\$0.94940/Ccf		\$0.94940/Ccf
North East Texas	August 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
North East Texas (Storage)			\$0.73580/Ccf		\$0.73580/Ccf		\$0.73186/Ccf
North East Texas (CRR)			\$0.00356/Ccf		\$0.00356/Ccf		\$0.00354/Ccf
North East Texas (Total Filed with RRC)			\$0.21517/Ccf		\$0.21517/Ccf		\$0.21400/Ccf
			\$0.95453/Ccf		\$0.95453/Ccf		\$0.94940/Ccf
South Texas (14.65 Pressure Base)(PGA)	August 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
South Texas (14.65 Pressure Base)(Storage)			\$0.73186/Ccf		\$0.73186/Ccf		\$0.73186/Ccf
South Texas (14.65 Pressure Base) (CRR)			\$0.00354/Ccf		\$0.00354/Ccf		\$0.00354/Ccf
South Texas (14.65 Pressure Base)(Total Filed with RRC)			\$0.21400/Ccf		\$0.21400/Ccf		\$0.21400/Ccf
			\$0.94940/Ccf		\$0.94940/Ccf		\$0.94940/Ccf
South Texas (14.95 Pressure Base)(PGA)	August 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
South Texas (14.95 Pressure Base)(Storage)			\$0.74680/Ccf		\$0.74680/Ccf		N/A
South Texas (14.95 Pressure Base) (CRR)			\$0.00361/Ccf		\$0.00361/Ccf		N/A
South Texas (14.95 Pressure Base)(Total Filed with RRC)			\$0.21838/Ccf		\$0.21838/Ccf		N/A
			\$0.96879/Ccf		\$0.96879/Ccf		N/A
Tyler (PGA)	August 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
Tyler (Storage)			\$0.73186/Ccf		\$0.73186/Ccf		\$0.73186/Ccf
Tyler (CRR)			\$0.00354/Ccf		\$0.00354/Ccf		\$0.00354/Ccf
Tyler (Total Filed with RRC)			\$0.21400/Ccf		\$0.21400/Ccf		\$0.21400/Ccf
			\$0.94940/Ccf		\$0.94940/Ccf		\$0.94940/Ccf
Houston-Conroe (14.95 Pressure Base)(PGA)	August 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
Houston-Conroe (14.95 Pressure Base)(Storage)			\$0.74680/Ccf		\$0.74680/Ccf		\$0.74680/Ccf
Houston-Conroe (14.95 Pressure Base) (CRR)			\$0.00361/Ccf		\$0.00361/Ccf		\$0.00361/Ccf
Houston-Conroe (14.95 Pressure Base)(Total Filed with RRC)			\$0.21838/Ccf		\$0.21838/Ccf		\$0.21838/Ccf
			\$0.96879/Ccf		\$0.96879/Ccf		\$0.96879/Ccf
Texas Coast (14.65 Pressure Base)(PGA)	August 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
Texas Coast (14.65 Pressure Base)(Storage)			N/A		N/A		\$0.73186/Ccf
Texas Coast (14.65 Pressure Base) (CRR)			N/A		N/A		\$0.00354/Ccf
Texas Coast (14.65 Pressure Base)(Total Filed with RRC)			N/A		N/A		\$0.21400/Ccf
			N/A		N/A		\$0.94940/Ccf
Texas Coast (14.95 Pressure Base)(PGA)	August 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
Texas Coast (14.95 Pressure Base)(Storage)			\$0.74680/Ccf		\$0.74680/Ccf		N/A
Texas Coast (14.95 Pressure Base) (CRR)			\$0.00361/Ccf		\$0.00361/Ccf		N/A
Texas Coast (14.95 Pressure Base)(Total Filed with RRC)			\$0.21838/Ccf		\$0.21838/Ccf		N/A
			\$0.96879/Ccf		\$0.96879/Ccf		N/A

**CENTERPOINT ENERGY TEXAS
PURCHASED GAS ADJUSTMENTS (PGA)**



JULY 2026

Division	Billing Month	Residential Rate Schedule & PGA		General Service-Small Rate Schedule & PGA		General Service-Large Rate Schedule & PGA	
Beaumont (PGA)	July 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
Beaumont (Storage)			\$0.77524/Ccf		\$0.77524/Ccf		\$0.75975/Ccf
Beaumont (CRR)			\$0.00355/Ccf		\$0.00355/Ccf		\$0.00348/Ccf
Beaumont (Total Filed with RRC)			\$0.21838/Ccf		\$0.21838/Ccf		\$0.21400/Ccf
			\$0.99717/Ccf		\$0.99717/Ccf		\$0.97723/Ccf
East Texas	July 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
East Texas (Storage)			\$0.75975/Ccf		\$0.75975/Ccf		\$0.75975/Ccf
East Texas (CRR)			\$0.00348/Ccf		\$0.00348/Ccf		\$0.00348/Ccf
East Texas (Total Filed with RRC)			\$0.21400/Ccf		\$0.21400/Ccf		\$0.21400/Ccf
			\$0.97723/Ccf		\$0.97723/Ccf		\$0.97723/Ccf
North East Texas	July 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
North East Texas (Storage)			\$0.76383/Ccf		\$0.76383/Ccf		\$0.75975/Ccf
North East Texas (CRR)			\$0.00350/Ccf		\$0.00350/Ccf		\$0.00348/Ccf
North East Texas (Total Filed with RRC)			\$0.21517/Ccf		\$0.21517/Ccf		\$0.21400/Ccf
			\$0.98250/Ccf		\$0.98250/Ccf		\$0.97723/Ccf
South Texas (14.65 Pressure Base)(PGA)	July 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
South Texas (14.65 Pressure Base)(Storage)			\$0.75975/Ccf		\$0.75975/Ccf		\$0.75975/Ccf
South Texas (14.65 Pressure Base) (CRR)			\$0.00348/Ccf		\$0.00348/Ccf		\$0.00348/Ccf
South Texas (14.65 Pressure Base)(Total Filed with RRC)			\$0.21400/Ccf		\$0.21400/Ccf		\$0.21400/Ccf
			\$0.97723/Ccf		\$0.97723/Ccf		\$0.97723/Ccf
South Texas (14.95 Pressure Base)(PGA)	July 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
South Texas (14.95 Pressure Base)(Storage)			\$0.77524/Ccf		\$0.77524/Ccf		N/A
South Texas (14.95 Pressure Base) (CRR)			\$0.00355/Ccf		\$0.00355/Ccf		N/A
South Texas (14.95 Pressure Base)(Total Filed with RRC)			\$0.21838/Ccf		\$0.21838/Ccf		N/A
			\$0.99717/Ccf		\$0.99717/Ccf		N/A
Tyler (PGA)	July 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
Tyler (Storage)			\$0.75975/Ccf		\$0.75975/Ccf		\$0.75975/Ccf
Tyler (CRR)			\$0.00348/Ccf		\$0.00348/Ccf		\$0.00348/Ccf
Tyler (Total Filed with RRC)			\$0.21400/Ccf		\$0.21400/Ccf		\$0.21400/Ccf
			\$0.97723/Ccf		\$0.97723/Ccf		\$0.97723/Ccf
Houston-Conroe (14.95 Pressure Base)(PGA)	July 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
Houston-Conroe (14.95 Pressure Base)(Storage)			\$0.77524/Ccf		\$0.77524/Ccf		\$0.77524/Ccf
Houston-Conroe (14.95 Pressure Base) (CRR)			\$0.00355/Ccf		\$0.00355/Ccf		\$0.00355/Ccf
Houston-Conroe (14.95 Pressure Base)(Total Filed with RRC)			\$0.21838/Ccf		\$0.21838/Ccf		\$0.21838/Ccf
			\$0.99717/Ccf		\$0.99717/Ccf		\$0.99717/Ccf
Texas Coast (14.65 Pressure Base)(PGA)	July 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
Texas Coast (14.65 Pressure Base)(Storage)			N/A		N/A		\$0.75975/Ccf
Texas Coast (14.65 Pressure Base) (CRR)			N/A		N/A		\$0.00348/Ccf
Texas Coast (14.65 Pressure Base)(Total Filed with RRC)			N/A		N/A		\$0.21400/Ccf
			N/A		N/A		\$0.97723/Ccf
Texas Coast (14.95 Pressure Base)(PGA)	July 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
Texas Coast (14.95 Pressure Base)(Storage)			\$0.77524/Ccf		\$0.77524/Ccf		N/A
Texas Coast (14.95 Pressure Base) (CRR)			\$0.00355/Ccf		\$0.00355/Ccf		N/A
Texas Coast (14.95 Pressure Base)(Total Filed with RRC)			\$0.21838/Ccf		\$0.21838/Ccf		N/A
			\$0.99717/Ccf		\$0.99717/Ccf		N/A

**CENTERPOINT ENERGY TEXAS
PURCHASED GAS ADJUSTMENTS (PGA)**



JUNE 10, 2026

Division	Billing Month	Residential Rate Schedule & PGA		General Service-Small Rate Schedule & PGA		General Service-Large Rate Schedule & PGA	
Beaumont (PGA)	June 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
Beaumont (Storage)			\$0.77524/Ccf		\$0.77524/Ccf		\$0.75975/Ccf
Beaumont (CRR)			\$0.00346/Ccf		\$0.00346/Ccf		\$0.00339/Ccf
Beaumont (Total Filed with RRC)			\$0.21838/Ccf		\$0.21838/Ccf		\$0.21400/Ccf
			\$0.99708/Ccf		\$0.99708/Ccf		\$0.97714/Ccf
East Texas	June 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
East Texas (Storage)			\$0.75975/Ccf		\$0.75975/Ccf		\$0.75975/Ccf
East Texas (CRR)			\$0.00339/Ccf		\$0.00339/Ccf		\$0.00339/Ccf
East Texas (Total Filed with RRC)			\$0.21400/Ccf		\$0.21400/Ccf		\$0.21400/Ccf
			\$0.97714/Ccf		\$0.97714/Ccf		\$0.97714/Ccf
North East Texas	June 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
North East Texas (Storage)			\$0.76383/Ccf		\$0.76383/Ccf		\$0.75975/Ccf
North East Texas (CRR)			\$0.00341/Ccf		\$0.00341/Ccf		\$0.00339/Ccf
North East Texas (Total Filed with RRC)			\$0.21517/Ccf		\$0.21517/Ccf		\$0.21400/Ccf
			\$0.98241/Ccf		\$0.98241/Ccf		\$0.97714/Ccf
South Texas (14.65 Pressure Base)(PGA)	June 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
South Texas (14.65 Pressure Base)(Storage)			\$0.75975/Ccf		\$0.75975/Ccf		\$0.75975/Ccf
South Texas (14.65 Pressure Base) (CRR)			\$0.00339/Ccf		\$0.00339/Ccf		\$0.00339/Ccf
South Texas (14.65 Pressure Base)(Total Filed with RRC)			\$0.21400/Ccf		\$0.21400/Ccf		\$0.21400/Ccf
			\$0.97714/Ccf		\$0.97714/Ccf		\$0.97714/Ccf
South Texas (14.95 Pressure Base)(PGA)	June 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
South Texas (14.95 Pressure Base)(Storage)			\$0.77524/Ccf		\$0.77524/Ccf		N/A
South Texas (14.95 Pressure Base) (CRR)			\$0.00346/Ccf		\$0.00346/Ccf		N/A
South Texas (14.95 Pressure Base)(Total Filed with RRC)			\$0.21838/Ccf		\$0.21838/Ccf		N/A
			\$0.99708/Ccf		\$0.99708/Ccf		N/A
Tyler (PGA)	June 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
Tyler (Storage)			\$0.75975/Ccf		\$0.75975/Ccf		\$0.75975/Ccf
Tyler (CRR)			\$0.00339/Ccf		\$0.00339/Ccf		\$0.00339/Ccf
Tyler (Total Filed with RRC)			\$0.21400/Ccf		\$0.21400/Ccf		\$0.21400/Ccf
			\$0.97714/Ccf		\$0.97714/Ccf		\$0.97714/Ccf
Houston-Conroe (14.95 Pressure Base)(PGA)	June 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
Houston-Conroe (14.95 Pressure Base)(Storage)			\$0.77524/Ccf		\$0.77524/Ccf		\$0.77524/Ccf
Houston-Conroe (14.95 Pressure Base) (CRR)			\$0.00346/Ccf		\$0.00346/Ccf		\$0.00346/Ccf
Houston-Conroe (14.95 Pressure Base)(Total Filed with RRC)			\$0.21838/Ccf		\$0.21838/Ccf		\$0.21838/Ccf
			\$0.99708/Ccf		\$0.99708/Ccf		\$0.99708/Ccf
Texas Coast (14.65 Pressure Base)(PGA)	June 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
Texas Coast (14.65 Pressure Base)(Storage)			N/A		N/A		\$0.75975/Ccf
Texas Coast (14.65 Pressure Base) (CRR)			N/A		N/A		\$0.00339/Ccf
Texas Coast (14.65 Pressure Base)(Total Filed with RRC)			N/A		N/A		\$0.21400/Ccf
			N/A		N/A		\$0.97714/Ccf
Texas Coast (14.95 Pressure Base)(PGA)	June 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
Texas Coast (14.95 Pressure Base)(Storage)			\$0.77524/Ccf		\$0.77524/Ccf		N/A
Texas Coast (14.95 Pressure Base) (CRR)			\$0.00346/Ccf		\$0.00346/Ccf		N/A
Texas Coast (14.95 Pressure Base)(Total Filed with RRC)			\$0.21838/Ccf		\$0.21838/Ccf		N/A
			\$0.99708/Ccf		\$0.99708/Ccf		N/A

**CENTERPOINT ENERGY TEXAS
PURCHASED GAS ADJUSTMENTS (PGA)**



JUNE 2026

Division	Billing Month	Residential Rate Schedule & PGA		General Service-Small Rate Schedule & PGA		General Service-Large Rate Schedule & PGA	
Beaumont (PGA)	June 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
Beaumont (Storage)			\$0.77524/Ccf		\$0.77524/Ccf		\$0.75975/Ccf
Beaumont (CRR)			\$0.00346/Ccf		\$0.00346/Ccf		\$0.00339/Ccf
Beaumont (Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		\$0.12000/Ccf
			\$0.90116/Ccf		\$0.90116/Ccf		\$0.88314/Ccf
East Texas	June 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
East Texas (Storage)			\$0.75975/Ccf		\$0.75975/Ccf		\$0.75975/Ccf
East Texas (CRR)			\$0.00339/Ccf		\$0.00339/Ccf		\$0.00339/Ccf
East Texas (Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.88314/Ccf		\$0.88314/Ccf		\$0.88314/Ccf
North East Texas	June 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
North East Texas (Storage)			\$0.76383/Ccf		\$0.76383/Ccf		\$0.75975/Ccf
North East Texas (CRR)			\$0.00341/Ccf		\$0.00341/Ccf		\$0.00339/Ccf
North East Texas (Total Filed with RRC)			\$0.12066/Ccf		\$0.12066/Ccf		\$0.12000/Ccf
			\$0.88790/Ccf		\$0.88790/Ccf		\$0.88314/Ccf
South Texas (14.65 Pressure Base)(PGA)	June 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
South Texas (14.65 Pressure Base)(Storage)			\$0.75975/Ccf		\$0.75975/Ccf		\$0.75975/Ccf
South Texas (14.65 Pressure Base) (CRR)			\$0.00339/Ccf		\$0.00339/Ccf		\$0.00339/Ccf
South Texas (14.65 Pressure Base)(Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.88314/Ccf		\$0.88314/Ccf		\$0.88314/Ccf
South Texas (14.95 Pressure Base)(PGA)	June 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
South Texas (14.95 Pressure Base)(Storage)			\$0.77524/Ccf		\$0.77524/Ccf		N/A
South Texas (14.95 Pressure Base) (CRR)			\$0.00346/Ccf		\$0.00346/Ccf		N/A
South Texas (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		N/A
			\$0.90116/Ccf		\$0.90116/Ccf		N/A
Tyler (PGA)	June 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
Tyler (Storage)			\$0.75975/Ccf		\$0.75975/Ccf		\$0.75975/Ccf
Tyler (CRR)			\$0.00339/Ccf		\$0.00339/Ccf		\$0.00339/Ccf
Tyler (Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.88314/Ccf		\$0.88314/Ccf		\$0.88314/Ccf
Houston-Conroe (14.95 Pressure Base)(PGA)	June 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
Houston-Conroe (14.95 Pressure Base)(Storage)			\$0.77524/Ccf		\$0.77524/Ccf		\$0.77524/Ccf
Houston-Conroe (14.95 Pressure Base) (CRR)			\$0.00346/Ccf		\$0.00346/Ccf		\$0.00346/Ccf
Houston-Conroe (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		\$0.12246/Ccf
			\$0.90116/Ccf		\$0.90116/Ccf		\$0.90116/Ccf
Texas Coast (14.65 Pressure Base)(PGA)	June 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
Texas Coast (14.65 Pressure Base)(Storage)			N/A		N/A		\$0.75975/Ccf
Texas Coast (14.65 Pressure Base) (CRR)			N/A		N/A		\$0.00339/Ccf
Texas Coast (14.65 Pressure Base)(Total Filed with RRC)			N/A		N/A		\$0.12000/Ccf
			N/A		N/A		\$0.88314/Ccf
Texas Coast (14.95 Pressure Base)(PGA)	June 2026	R-2099-I GRIP 2026 &	R-2099-U GRIP 2026	GSS-2099-I-2026 &	GSS-2099-U-2026	GSLV-630-I-2026 &	GSLV-630-U-2026
Texas Coast (14.95 Pressure Base)(Storage)			\$0.77524/Ccf		\$0.77524/Ccf		N/A
Texas Coast (14.95 Pressure Base) (CRR)			\$0.00346/Ccf		\$0.00346/Ccf		N/A
Texas Coast (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		N/A
			\$0.90116/Ccf		\$0.90116/Ccf		N/A

**CENTERPOINT ENERGY TEXAS
PURCHASED GAS ADJUSTMENTS (PGA)**



MAY 2026

Division	Billing Month	Residential Rate Schedule & PGA		General Service-Small Rate Schedule & PGA		General Service-Large Rate Schedule & PGA	
Beaumont (PGA)	May 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Beaumont (Storage)			\$0.77524/Ccf		\$0.77524/Ccf		\$0.75975/Ccf
Beaumont (CRR)			\$0.00337/Ccf		\$0.00337/Ccf		\$0.00330/Ccf
Beaumont (Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		\$0.12000/Ccf
			\$0.90107/Ccf		\$0.90107/Ccf		\$0.88305/Ccf
East Texas	May 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
East Texas (Storage)			\$0.75975/Ccf		\$0.75975/Ccf		\$0.75975/Ccf
East Texas (CRR)			\$0.00330/Ccf		\$0.00330/Ccf		\$0.00330/Ccf
East Texas (Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.88305/Ccf		\$0.88305/Ccf		\$0.88305/Ccf
North East Texas	May 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
North East Texas (Storage)			\$0.76383/Ccf		\$0.76383/Ccf		\$0.75975/Ccf
North East Texas (CRR)			\$0.00332/Ccf		\$0.00332/Ccf		\$0.00330/Ccf
North East Texas (Total Filed with RRC)			\$0.12066/Ccf		\$0.12066/Ccf		\$0.12000/Ccf
			\$0.88781/Ccf		\$0.88781/Ccf		\$0.88305/Ccf
South Texas (14.65 Pressure Base)(PGA)	May 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
South Texas (14.65 Pressure Base)(Storage)			\$0.75975/Ccf		\$0.75975/Ccf		\$0.75975/Ccf
South Texas (14.65 Pressure Base)(CRR)			\$0.00330/Ccf		\$0.00330/Ccf		\$0.00330/Ccf
South Texas (14.65 Pressure Base)(Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.88305/Ccf		\$0.88305/Ccf		\$0.88305/Ccf
South Texas (14.95 Pressure Base)(PGA)	May 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
South Texas (14.95 Pressure Base)(Storage)			\$0.77524/Ccf		\$0.77524/Ccf		N/A
South Texas (14.95 Pressure Base)(CRR)			\$0.00337/Ccf		\$0.00337/Ccf		N/A
South Texas (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		N/A
			\$0.90107/Ccf		\$0.90107/Ccf		N/A
Tyler (PGA)	May 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Tyler (Storage)			\$0.75975/Ccf		\$0.75975/Ccf		\$0.75975/Ccf
Tyler (CRR)			\$0.00330/Ccf		\$0.00330/Ccf		\$0.00330/Ccf
Tyler (Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.88305/Ccf		\$0.88305/Ccf		\$0.88305/Ccf
Houston-Conroe (14.95 Pressure Base)(PGA)	May 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Houston-Conroe (14.95 Pressure Base)(Storage)			\$0.77524/Ccf		\$0.77524/Ccf		\$0.77524/Ccf
Houston-Conroe (14.95 Pressure Base)(CRR)			\$0.00337/Ccf		\$0.00337/Ccf		\$0.00337/Ccf
Houston-Conroe (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		\$0.12246/Ccf
			\$0.90107/Ccf		\$0.90107/Ccf		\$0.90107/Ccf
Texas Coast (14.65 Pressure Base)(PGA)	May 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Texas Coast (14.65 Pressure Base)(Storage)			N/A		N/A		\$0.75975/Ccf
Texas Coast (14.65 Pressure Base)(CRR)			N/A		N/A		\$0.00330/Ccf
Texas Coast (14.65 Pressure Base)(Total Filed with RRC)			N/A		N/A		\$0.12000/Ccf
			N/A		N/A		\$0.88305/Ccf
Texas Coast (14.95 Pressure Base)(PGA)	May 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Texas Coast (14.95 Pressure Base)(Storage)			\$0.77524/Ccf		\$0.77524/Ccf		N/A
Texas Coast (14.95 Pressure Base)(CRR)			\$0.00337/Ccf		\$0.00337/Ccf		N/A
Texas Coast (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		N/A
			\$0.90107/Ccf		\$0.90107/Ccf		N/A

**CENTERPOINT ENERGY TEXAS
PURCHASED GAS ADJUSTMENTS (PGA)**



APRIL 2026

Division	Billing Month	Residential Rate Schedule & PGA		General Service-Small Rate Schedule & PGA		General Service-Large Rate Schedule & PGA	
Beaumont (PGA)	April 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Beaumont (Storage)			\$0.77524/Ccf		\$0.77524/Ccf		\$0.75975/Ccf
Beaumont (CRR)			\$0.00328/Ccf		\$0.00328/Ccf		\$0.00321/Ccf
Beaumont (Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		\$0.12000/Ccf
			\$0.90098/Ccf		\$0.90098/Ccf		\$0.88296/Ccf
East Texas	April 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
East Texas (Storage)			\$0.75975/Ccf		\$0.75975/Ccf		\$0.75975/Ccf
East Texas (CRR)			\$0.00321/Ccf		\$0.00321/Ccf		\$0.00321/Ccf
East Texas (Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.88296/Ccf		\$0.88296/Ccf		\$0.88296/Ccf
North East Texas	April 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
North East Texas (Storage)			\$0.76383/Ccf		\$0.76383/Ccf		\$0.75975/Ccf
North East Texas (CRR)			\$0.00323/Ccf		\$0.00323/Ccf		\$0.00321/Ccf
North East Texas (Total Filed with RRC)			\$0.12066/Ccf		\$0.12066/Ccf		\$0.12000/Ccf
			\$0.88772/Ccf		\$0.88772/Ccf		\$0.88296/Ccf
South Texas (14.65 Pressure Base)(PGA)	April 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
South Texas (14.65 Pressure Base)(Storage)			\$0.75975/Ccf		\$0.75975/Ccf		\$0.75975/Ccf
South Texas (14.65 Pressure Base) (CRR)			\$0.00321/Ccf		\$0.00321/Ccf		\$0.00321/Ccf
South Texas (14.65 Pressure Base)(Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.88296/Ccf		\$0.88296/Ccf		\$0.88296/Ccf
South Texas (14.95 Pressure Base)(PGA)	April 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
South Texas (14.95 Pressure Base)(Storage)			\$0.77524/Ccf		\$0.77524/Ccf		N/A
South Texas (14.95 Pressure Base) (CRR)			\$0.00328/Ccf		\$0.00328/Ccf		N/A
South Texas (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		N/A
			\$0.90098/Ccf		\$0.90098/Ccf		N/A
Tyler (PGA)	April 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Tyler (Storage)			\$0.75975/Ccf		\$0.75975/Ccf		\$0.75975/Ccf
Tyler (CRR)			\$0.00321/Ccf		\$0.00321/Ccf		\$0.00321/Ccf
Tyler (Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.88296/Ccf		\$0.88296/Ccf		\$0.88296/Ccf
Houston-Conroe (14.95 Pressure Base)(PGA)	April 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Houston-Conroe (14.95 Pressure Base)(Storage)			\$0.77524/Ccf		\$0.77524/Ccf		\$0.77524/Ccf
Houston-Conroe (14.95 Pressure Base) (CRR)			\$0.00328/Ccf		\$0.00328/Ccf		\$0.00328/Ccf
Houston-Conroe (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		\$0.12246/Ccf
			\$0.90098/Ccf		\$0.90098/Ccf		\$0.90098/Ccf
Texas Coast (14.65 Pressure Base)(PGA)	April 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Texas Coast (14.65 Pressure Base)(Storage)			N/A		N/A		\$0.75975/Ccf
Texas Coast (14.65 Pressure Base) (CRR)			N/A		N/A		\$0.00321/Ccf
Texas Coast (14.65 Pressure Base)(Total Filed with RRC)			N/A		N/A		\$0.12000/Ccf
			N/A		N/A		\$0.88296/Ccf
Texas Coast (14.95 Pressure Base)(PGA)	April 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Texas Coast (14.95 Pressure Base)(Storage)			\$0.77524/Ccf		\$0.77524/Ccf		N/A
Texas Coast (14.95 Pressure Base) (CRR)			\$0.00328/Ccf		\$0.00328/Ccf		N/A
Texas Coast (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		N/A
			\$0.90098/Ccf		\$0.90098/Ccf		N/A

**CENTERPOINT ENERGY TEXAS
PURCHASED GAS ADJUSTMENTS (PGA)**



MARCH 2026

Division	Billing Month	Residential Rate Schedule & PGA		General Service-Small Rate Schedule & PGA		General Service-Large Rate Schedule & PGA	
Beaumont (PGA)	March 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Beaumont (Storage)			\$0.77524/Ccf		\$0.77524/Ccf		\$0.75975/Ccf
Beaumont (CRR)			\$0.00320/Ccf		\$0.00320/Ccf		\$0.00314/Ccf
Beaumont (Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		\$0.12000/Ccf
			\$0.90090/Ccf		\$0.90090/Ccf		\$0.88289/Ccf
East Texas	March 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
East Texas (Storage)			\$0.75975/Ccf		\$0.75975/Ccf		\$0.75975/Ccf
East Texas (CRR)			\$0.00314/Ccf		\$0.00314/Ccf		\$0.00314/Ccf
East Texas (Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.88289/Ccf		\$0.88289/Ccf		\$0.88289/Ccf
North East Texas	March 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
North East Texas (Storage)			\$0.76383/Ccf		\$0.76383/Ccf		\$0.75975/Ccf
North East Texas (CRR)			\$0.00315/Ccf		\$0.00315/Ccf		\$0.00314/Ccf
North East Texas (Total Filed with RRC)			\$0.12066/Ccf		\$0.12066/Ccf		\$0.12000/Ccf
			\$0.88764/Ccf		\$0.88764/Ccf		\$0.88289/Ccf
South Texas (14.65 Pressure Base)(PGA)	March 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
South Texas (14.65 Pressure Base)(Storage)			\$0.75975/Ccf		\$0.75975/Ccf		\$0.75975/Ccf
South Texas (14.65 Pressure Base) (CRR)			\$0.00314/Ccf		\$0.00314/Ccf		\$0.00314/Ccf
South Texas (14.65 Pressure Base)(Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.88289/Ccf		\$0.88289/Ccf		\$0.88289/Ccf
South Texas (14.95 Pressure Base)(PGA)	March 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
South Texas (14.95 Pressure Base)(Storage)			\$0.77524/Ccf		\$0.77524/Ccf		N/A
South Texas (14.95 Pressure Base) (CRR)			\$0.00320/Ccf		\$0.00320/Ccf		N/A
South Texas (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		N/A
			\$0.90090/Ccf		\$0.90090/Ccf		N/A
Tyler (PGA)	March 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Tyler (Storage)			\$0.75975/Ccf		\$0.75975/Ccf		\$0.75975/Ccf
Tyler (CRR)			\$0.00314/Ccf		\$0.00314/Ccf		\$0.00314/Ccf
Tyler (Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.88289/Ccf		\$0.88289/Ccf		\$0.88289/Ccf
Houston-Conroe (14.95 Pressure Base)(PGA)	March 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Houston-Conroe (14.95 Pressure Base)(Storage)			\$0.77524/Ccf		\$0.77524/Ccf		\$0.77524/Ccf
Houston-Conroe (14.95 Pressure Base) (CRR)			\$0.00320/Ccf		\$0.00320/Ccf		\$0.00320/Ccf
Houston-Conroe (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		\$0.12246/Ccf
			\$0.90090/Ccf		\$0.90090/Ccf		\$0.90090/Ccf
Texas Coast (14.65 Pressure Base)(PGA)	March 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Texas Coast (14.65 Pressure Base)(Storage)			N/A		N/A		\$0.75975/Ccf
Texas Coast (14.65 Pressure Base) (CRR)			N/A		N/A		\$0.00314/Ccf
Texas Coast (14.65 Pressure Base)(Total Filed with RRC)			N/A		N/A		\$0.12000/Ccf
			N/A		N/A		\$0.88289/Ccf
Texas Coast (14.95 Pressure Base)(PGA)	March 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Texas Coast (14.95 Pressure Base)(Storage)			\$0.77524/Ccf		\$0.77524/Ccf		N/A
Texas Coast (14.95 Pressure Base) (CRR)			\$0.00320/Ccf		\$0.00320/Ccf		N/A
Texas Coast (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		N/A
			\$0.90090/Ccf		\$0.90090/Ccf		N/A

**CENTERPOINT ENERGY TEXAS
PURCHASED GAS ADJUSTMENTS (PGA)**



FEBRUARY 2026

Division	Billing Month	Residential Rate Schedule & PGA		General Service-Small Rate Schedule & PGA		General Service-Large Rate Schedule & PGA	
Beaumont (PGA)	February 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Beaumont (Storage)			\$0.77524/Ccf		\$0.77524/Ccf		\$0.75975/Ccf
Beaumont (CRR)			\$0.00326/Ccf		\$0.00326/Ccf		\$0.00319/Ccf
Beaumont (Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		\$0.12000/Ccf
			\$0.90096/Ccf		\$0.90096/Ccf		\$0.88294/Ccf
East Texas	February 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
East Texas (Storage)			\$0.75975/Ccf		\$0.75975/Ccf		\$0.75975/Ccf
East Texas (CRR)			\$0.00319/Ccf		\$0.00319/Ccf		\$0.00319/Ccf
East Texas (Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.88294/Ccf		\$0.88294/Ccf		\$0.88294/Ccf
North East Texas	February 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
North East Texas (Storage)			\$0.76383/Ccf		\$0.76383/Ccf		\$0.75975/Ccf
North East Texas (CRR)			\$0.00321/Ccf		\$0.00319/Ccf		\$0.00319/Ccf
North East Texas (Total Filed with RRC)			\$0.12066/Ccf		\$0.12066/Ccf		\$0.12000/Ccf
			\$0.88770/Ccf		\$0.88770/Ccf		\$0.88294/Ccf
South Texas (14.65 Pressure Base)(PGA)	February 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
South Texas (14.65 Pressure Base)(Storage)			\$0.75975/Ccf		\$0.75975/Ccf		\$0.75975/Ccf
South Texas (14.65 Pressure Base) (CRR)			\$0.00319/Ccf		\$0.00319/Ccf		\$0.00319/Ccf
South Texas (14.65 Pressure Base)(Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.88294/Ccf		\$0.88294/Ccf		\$0.88294/Ccf
South Texas (14.95 Pressure Base)(PGA)	February 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
South Texas (14.95 Pressure Base)(Storage)			\$0.77524/Ccf		\$0.77524/Ccf		N/A
South Texas (14.95 Pressure Base) (CRR)			\$0.00326/Ccf		\$0.00326/Ccf		N/A
South Texas (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		N/A
			\$0.90096/Ccf		\$0.90096/Ccf		N/A
Tyler (PGA)	February 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Tyler (Storage)			\$0.75975/Ccf		\$0.75975/Ccf		\$0.75975/Ccf
Tyler (CRR)			\$0.00319/Ccf		\$0.00319/Ccf		\$0.00319/Ccf
Tyler (Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.88294/Ccf		\$0.88294/Ccf		\$0.88294/Ccf
Houston-Conroe (14.95 Pressure Base)(PGA)	February 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Houston-Conroe (14.95 Pressure Base)(Storage)			\$0.77524/Ccf		\$0.77524/Ccf		\$0.77524/Ccf
Houston-Conroe (14.95 Pressure Base) (CRR)			\$0.00326/Ccf		\$0.00326/Ccf		\$0.00326/Ccf
Houston-Conroe (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		\$0.12246/Ccf
			\$0.90096/Ccf		\$0.90096/Ccf		\$0.90096/Ccf
Texas Coast (14.65 Pressure Base)(PGA)	February 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Texas Coast (14.65 Pressure Base)(Storage)			N/A		N/A		\$0.75975/Ccf
Texas Coast (14.65 Pressure Base) (CRR)			N/A		N/A		\$0.00319/Ccf
Texas Coast (14.65 Pressure Base)(Total Filed with RRC)			N/A		N/A		\$0.12000/Ccf
			N/A		N/A		\$0.88294/Ccf
Texas Coast (14.95 Pressure Base)(PGA)	February 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Texas Coast (14.95 Pressure Base)(Storage)			\$0.77524/Ccf		\$0.77524/Ccf		N/A
Texas Coast (14.95 Pressure Base) (CRR)			\$0.00326/Ccf		\$0.00326/Ccf		N/A
Texas Coast (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		N/A
			\$0.90096/Ccf		\$0.90096/Ccf		N/A

**CENTERPOINT ENERGY TEXAS
PURCHASED GAS ADJUSTMENTS (PGA)**



JANUARY 2026

Division	Billing Month	Residential Rate Schedule & PGA		General Service-Small Rate Schedule & PGA		General Service-Large Rate Schedule & PGA	
Beaumont (PGA)	January 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Beaumont (Storage)			\$0.70805/Ccf		\$0.70805/Ccf		\$0.69384/Ccf
Beaumont (CRR)			\$0.00321/Ccf		\$0.00321/Ccf		\$0.00315/Ccf
Beaumont (Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		\$0.12000/Ccf
			\$0.83372/Ccf		\$0.83372/Ccf		\$0.81699/Ccf
East Texas	January 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
East Texas (Storage)			\$0.69384/Ccf		\$0.69384/Ccf		\$0.69384/Ccf
East Texas (CRR)			\$0.00315/Ccf		\$0.00315/Ccf		\$0.00315/Ccf
East Texas (Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.81699/Ccf		\$0.81699/Ccf		\$0.81699/Ccf
North East Texas	January 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
North East Texas (Storage)			\$0.69758/Ccf		\$0.69758/Ccf		\$0.69384/Ccf
North East Texas (CRR)			\$0.00316/Ccf		\$0.00316/Ccf		\$0.00315/Ccf
North East Texas (Total Filed with RRC)			\$0.12066/Ccf		\$0.12066/Ccf		\$0.12000/Ccf
			\$0.82140/Ccf		\$0.82140/Ccf		\$0.81699/Ccf
South Texas (14.65 Pressure Base)(PGA)	January 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
South Texas (14.65 Pressure Base)(Storage)			\$0.69384/Ccf		\$0.69384/Ccf		\$0.69384/Ccf
South Texas (14.65 Pressure Base) (CRR)			\$0.00315/Ccf		\$0.00315/Ccf		\$0.00315/Ccf
South Texas (14.65 Pressure Base)(Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.81699/Ccf		\$0.81699/Ccf		\$0.81699/Ccf
South Texas (14.95 Pressure Base)(PGA)	January 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
South Texas (14.95 Pressure Base)(Storage)			\$0.70805/Ccf		\$0.70805/Ccf		N/A
South Texas (14.95 Pressure Base) (CRR)			\$0.00321/Ccf		\$0.00321/Ccf		N/A
South Texas (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		N/A
			\$0.83372/Ccf		\$0.83372/Ccf		N/A
Tyler (PGA)	January 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Tyler (Storage)			\$0.69384/Ccf		\$0.69384/Ccf		\$0.69384/Ccf
Tyler (CRR)			\$0.00315/Ccf		\$0.00315/Ccf		\$0.00315/Ccf
Tyler (Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.81699/Ccf		\$0.81699/Ccf		\$0.81699/Ccf
Houston-Conroe (14.95 Pressure Base)(PGA)	January 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Houston-Conroe (14.95 Pressure Base)(Storage)			\$0.70805/Ccf		\$0.70805/Ccf		\$0.70805/Ccf
Houston-Conroe (14.95 Pressure Base) (CRR)			\$0.00321/Ccf		\$0.00321/Ccf		\$0.00321/Ccf
Houston-Conroe (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		\$0.12246/Ccf
			\$0.83372/Ccf		\$0.83372/Ccf		\$0.83372/Ccf
Texas Coast (14.65 Pressure Base)(PGA)	January 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Texas Coast (14.65 Pressure Base)(Storage)			N/A		N/A		\$0.69384/Ccf
Texas Coast (14.65 Pressure Base) (CRR)			N/A		N/A		\$0.00315/Ccf
Texas Coast (14.65 Pressure Base)(Total Filed with RRC)			N/A		N/A		\$0.12000/Ccf
			N/A		N/A		\$0.81699/Ccf
Texas Coast (14.95 Pressure Base)(PGA)	January 2026	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Texas Coast (14.95 Pressure Base)(Storage)			\$0.70805/Ccf		\$0.70805/Ccf		N/A
Texas Coast (14.95 Pressure Base) (CRR)			\$0.00321/Ccf		\$0.00321/Ccf		N/A
Texas Coast (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		N/A
			\$0.83372/Ccf		\$0.83372/Ccf		N/A

**CENTERPOINT ENERGY TEXAS
PURCHASED GAS ADJUSTMENTS (PGA)**



DECEMBER 2025

Division	Billing Month	Residential Rate Schedule & PGA		General Service-Small Rate Schedule & PGA		General Service-Large Rate Schedule & PGA	
Beaumont (PGA)	December 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Beaumont (Storage)			\$0.70805/Ccf		\$0.70805/Ccf		\$0.69384/Ccf
Beaumont (CRR)			\$0.00307/Ccf		\$0.00307/Ccf		\$0.00301/Ccf
Beaumont (Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		\$0.12000/Ccf
			\$0.83358/Ccf		\$0.83358/Ccf		\$0.81685/Ccf
East Texas	December 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
East Texas (Storage)			\$0.69384/Ccf		\$0.69384/Ccf		\$0.69384/Ccf
East Texas (CRR)			\$0.00301/Ccf		\$0.00301/Ccf		\$0.00301/Ccf
East Texas (Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.81685/Ccf		\$0.81685/Ccf		\$0.81685/Ccf
North East Texas	December 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
North East Texas (Storage)			\$0.69758/Ccf		\$0.69758/Ccf		\$0.69384/Ccf
North East Texas (CRR)			\$0.00302/Ccf		\$0.00302/Ccf		\$0.00301/Ccf
North East Texas (Total Filed with RRC)			\$0.12066/Ccf		\$0.12066/Ccf		\$0.12000/Ccf
			\$0.82126/Ccf		\$0.82126/Ccf		\$0.81685/Ccf
South Texas (14.65 Pressure Base)(PGA)	December 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
South Texas (14.65 Pressure Base)(Storage)			\$0.69384/Ccf		\$0.69384/Ccf		\$0.69384/Ccf
South Texas (14.65 Pressure Base) (CRR)			\$0.00301/Ccf		\$0.00301/Ccf		\$0.00301/Ccf
South Texas (14.65 Pressure Base)(Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.81685/Ccf		\$0.81685/Ccf		\$0.81685/Ccf
South Texas (14.95 Pressure Base)(PGA)	December 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
South Texas (14.95 Pressure Base)(Storage)			\$0.70805/Ccf		\$0.70805/Ccf		N/A
South Texas (14.95 Pressure Base) (CRR)			\$0.00307/Ccf		\$0.00307/Ccf		N/A
South Texas (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		N/A
			\$0.83358/Ccf		\$0.83358/Ccf		N/A
Tyler (PGA)	December 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Tyler (Storage)			\$0.69384/Ccf		\$0.69384/Ccf		\$0.69384/Ccf
Tyler (CRR)			\$0.00301/Ccf		\$0.00301/Ccf		\$0.00301/Ccf
Tyler (Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.81685/Ccf		\$0.81685/Ccf		\$0.81685/Ccf
Houston-Conroe (14.95 Pressure Base)(PGA)	December 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Houston-Conroe (14.95 Pressure Base)(Storage)			\$0.70805/Ccf		\$0.70805/Ccf		\$0.70805/Ccf
Houston-Conroe (14.95 Pressure Base) (CRR)			\$0.00307/Ccf		\$0.00307/Ccf		\$0.00307/Ccf
Houston-Conroe (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		\$0.12246/Ccf
			\$0.83358/Ccf		\$0.83358/Ccf		\$0.83358/Ccf
Texas Coast (14.65 Pressure Base)(PGA)	December 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Texas Coast (14.65 Pressure Base)(Storage)			N/A		N/A		\$0.69384/Ccf
Texas Coast (14.65 Pressure Base) (CRR)			N/A		N/A		\$0.00301/Ccf
Texas Coast (14.65 Pressure Base)(Total Filed with RRC)			N/A		N/A		\$0.12000/Ccf
			N/A		N/A		\$0.81685/Ccf
Texas Coast (14.95 Pressure Base)(PGA)	December 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Texas Coast (14.95 Pressure Base)(Storage)			\$0.70805/Ccf		\$0.70805/Ccf		N/A
Texas Coast (14.95 Pressure Base) (CRR)			\$0.00307/Ccf		\$0.00307/Ccf		N/A
Texas Coast (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		N/A
			\$0.83358/Ccf		\$0.83358/Ccf		N/A

**CENTERPOINT ENERGY TEXAS
PURCHASED GAS ADJUSTMENTS (PGA)**



NOVEMBER 2025

Division	Billing Month	Residential Rate Schedule & PGA		General Service-Small Rate Schedule & PGA		General Service-Large Rate Schedule & PGA	
Beaumont (PGA)	November 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Beaumont (Storage)			\$0.70805/Ccf		\$0.70805/Ccf		\$0.69384/Ccf
Beaumont (CRR)			\$0.00292/Ccf		\$0.00292/Ccf		\$0.00286/Ccf
Beaumont (Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		\$0.12000/Ccf
			\$0.83343/Ccf		\$0.83343/Ccf		\$0.81670/Ccf
East Texas	November 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
East Texas (Storage)			\$0.69384/Ccf		\$0.69384/Ccf		\$0.69384/Ccf
East Texas (CRR)			\$0.00286/Ccf		\$0.00286/Ccf		\$0.00286/Ccf
East Texas (Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.81670/Ccf		\$0.81670/Ccf		\$0.81670/Ccf
North East Texas	November 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
North East Texas (Storage)			\$0.69758/Ccf		\$0.69758/Ccf		\$0.69384/Ccf
North East Texas (CRR)			\$0.00288/Ccf		\$0.00288/Ccf		\$0.00286/Ccf
North East Texas (Total Filed with RRC)			\$0.12066/Ccf		\$0.12066/Ccf		\$0.12000/Ccf
			\$0.82112/Ccf		\$0.82112/Ccf		\$0.81670/Ccf
South Texas (14.65 Pressure Base)(PGA)	November 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
South Texas (14.65 Pressure Base)(Storage)			\$0.69384/Ccf		\$0.69384/Ccf		\$0.69384/Ccf
South Texas (14.65 Pressure Base) (CRR)			\$0.00286/Ccf		\$0.00286/Ccf		\$0.00286/Ccf
South Texas (14.65 Pressure Base)(Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.81670/Ccf		\$0.81670/Ccf		\$0.81670/Ccf
South Texas (14.95 Pressure Base)(PGA)	November 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
South Texas (14.95 Pressure Base)(Storage)			\$0.70805/Ccf		\$0.70805/Ccf		N/A
South Texas (14.95 Pressure Base) (CRR)			\$0.00292/Ccf		\$0.00292/Ccf		N/A
South Texas (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		N/A
			\$0.83343/Ccf		\$0.83343/Ccf		N/A
Tyler (PGA)	November 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Tyler (Storage)			\$0.69384/Ccf		\$0.69384/Ccf		\$0.69384/Ccf
Tyler (CRR)			\$0.00286/Ccf		\$0.00286/Ccf		\$0.00286/Ccf
Tyler (Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.81670/Ccf		\$0.81670/Ccf		\$0.81670/Ccf
Houston-Conroe (14.95 Pressure Base)(PGA)	November 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Houston-Conroe (14.95 Pressure Base)(Storage)			\$0.70805/Ccf		\$0.70805/Ccf		\$0.70805/Ccf
Houston-Conroe (14.95 Pressure Base) (CRR)			\$0.00292/Ccf		\$0.00292/Ccf		\$0.00292/Ccf
Houston-Conroe (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		\$0.12246/Ccf
			\$0.83343/Ccf		\$0.83343/Ccf		\$0.83343/Ccf
Texas Coast (14.65 Pressure Base)(PGA)	November 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Texas Coast (14.65 Pressure Base)(Storage)			N/A		N/A		\$0.69384/Ccf
Texas Coast (14.65 Pressure Base) (CRR)			N/A		N/A		\$0.00286/Ccf
Texas Coast (14.65 Pressure Base)(Total Filed with RRC)			N/A		N/A		\$0.12000/Ccf
			N/A		N/A		\$0.81670/Ccf
Texas Coast (14.95 Pressure Base)(PGA)	November 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Texas Coast (14.95 Pressure Base)(Storage)			\$0.70805/Ccf		\$0.70805/Ccf		N/A
Texas Coast (14.95 Pressure Base) (CRR)			\$0.00292/Ccf		\$0.00292/Ccf		N/A
Texas Coast (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		N/A
			\$0.83343/Ccf		\$0.83343/Ccf		N/A

**CENTERPOINT ENERGY TEXAS
PURCHASED GAS ADJUSTMENTS (PGA)**



OCTOBER 2025

Division	Billing Month	Residential Rate Schedule & PGA		General Service-Small Rate Schedule & PGA		General Service-Large Rate Schedule & PGA	
Beaumont (PGA)	October 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Beaumont (Storage)			\$0.70805/Ccf		\$0.70805/Ccf		\$0.69384/Ccf
Beaumont (CRR)			\$0.00282/Ccf		\$0.00282/Ccf		\$0.00276/Ccf
Beaumont (Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		\$0.12000/Ccf
			\$0.83333/Ccf		\$0.83333/Ccf		\$0.81660/Ccf
East Texas	October 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
East Texas (Storage)			\$0.69384/Ccf		\$0.69384/Ccf		\$0.69384/Ccf
East Texas (CRR)			\$0.00276/Ccf		\$0.00276/Ccf		\$0.00276/Ccf
East Texas (Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.81660/Ccf		\$0.81660/Ccf		\$0.81660/Ccf
North East Texas	October 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
North East Texas (Storage)			\$0.69758/Ccf		\$0.69758/Ccf		\$0.69384/Ccf
North East Texas (CRR)			\$0.00278/Ccf		\$0.00278/Ccf		\$0.00276/Ccf
North East Texas (Total Filed with RRC)			\$0.12066/Ccf		\$0.12066/Ccf		\$0.12000/Ccf
			\$0.82102/Ccf		\$0.82102/Ccf		\$0.81660/Ccf
South Texas (14.65 Pressure Base)(PGA)	October 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
South Texas (14.65 Pressure Base)(Storage)			\$0.69384/Ccf		\$0.69384/Ccf		\$0.69384/Ccf
South Texas (14.65 Pressure Base) (CRR)			\$0.00276/Ccf		\$0.00276/Ccf		\$0.00276/Ccf
South Texas (14.65 Pressure Base)(Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.81660/Ccf		\$0.81660/Ccf		\$0.81660/Ccf
South Texas (14.95 Pressure Base)(PGA)	October 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
South Texas (14.95 Pressure Base)(Storage)			\$0.70805/Ccf		\$0.70805/Ccf		N/A
South Texas (14.95 Pressure Base) (CRR)			\$0.00282/Ccf		\$0.00282/Ccf		N/A
South Texas (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		N/A
			\$0.83333/Ccf		\$0.83333/Ccf		N/A
Tyler (PGA)	October 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Tyler (Storage)			\$0.69384/Ccf		\$0.69384/Ccf		\$0.69384/Ccf
Tyler (CRR)			\$0.00276/Ccf		\$0.00276/Ccf		\$0.00276/Ccf
Tyler (Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.81660/Ccf		\$0.81660/Ccf		\$0.81660/Ccf
Houston-Conroe (14.95 Pressure Base)(PGA)	October 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Houston-Conroe (14.95 Pressure Base)(Storage)			\$0.70805/Ccf		\$0.70805/Ccf		\$0.70805/Ccf
Houston-Conroe (14.95 Pressure Base) (CRR)			\$0.00282/Ccf		\$0.00282/Ccf		\$0.00282/Ccf
Houston-Conroe (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		\$0.12246/Ccf
			\$0.83333/Ccf		\$0.83333/Ccf		\$0.83333/Ccf
Texas Coast (14.65 Pressure Base)(PGA)	October 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Texas Coast (14.65 Pressure Base)(Storage)			N/A		N/A		\$0.69384/Ccf
Texas Coast (14.65 Pressure Base) (CRR)			N/A		N/A		\$0.00276/Ccf
Texas Coast (14.65 Pressure Base)(Total Filed with RRC)			N/A		N/A		\$0.12000/Ccf
			N/A		N/A		\$0.81660/Ccf
Texas Coast (14.95 Pressure Base)(PGA)	October 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Texas Coast (14.95 Pressure Base)(Storage)			\$0.70805/Ccf		\$0.70805/Ccf		N/A
Texas Coast (14.95 Pressure Base) (CRR)			\$0.00282/Ccf		\$0.00282/Ccf		N/A
Texas Coast (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		N/A
			\$0.83333/Ccf		\$0.83333/Ccf		N/A

**CENTERPOINT ENERGY TEXAS
PURCHASED GAS ADJUSTMENTS (PGA)**



SEPTEMBER 25, 2025

Division	Billing Month	Residential Rate Schedule & PGA		General Service-Small Rate Schedule & PGA		General Service-Large Rate Schedule & PGA	
Beaumont (PGA)	September 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Beaumont (Storage)			\$0.70805/Ccf		\$0.70805/Ccf		\$0.69384/Ccf
Beaumont (CRR)			\$0.00280/Ccf		\$0.00280/Ccf		\$0.00274/Ccf
Beaumont (Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		\$0.12000/Ccf
			\$0.83331/Ccf		\$0.83331/Ccf		\$0.81658/Ccf
East Texas	September 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
East Texas (Storage)			\$0.69384/Ccf		\$0.69384/Ccf		\$0.69384/Ccf
East Texas (CRR)			\$0.00274/Ccf		\$0.00274/Ccf		\$0.00274/Ccf
East Texas (Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.81658/Ccf		\$0.81658/Ccf		\$0.81658/Ccf
North East Texas	September 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
North East Texas (Storage)			\$0.69758/Ccf		\$0.69758/Ccf		\$0.69384/Ccf
North East Texas (CRR)			\$0.00276/Ccf		\$0.00274/Ccf		\$0.00274/Ccf
North East Texas (Total Filed with RRC)			\$0.12066/Ccf		\$0.12066/Ccf		\$0.12000/Ccf
			\$0.82100/Ccf		\$0.82100/Ccf		\$0.81658/Ccf
South Texas (14.65 Pressure Base)(PGA)	September 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
South Texas (14.65 Pressure Base)(Storage)			\$0.69384/Ccf		\$0.69384/Ccf		\$0.69384/Ccf
South Texas (14.65 Pressure Base) (CRR)			\$0.00274/Ccf		\$0.00274/Ccf		\$0.00274/Ccf
South Texas (14.65 Pressure Base)(Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.81658/Ccf		\$0.81658/Ccf		\$0.81658/Ccf
South Texas (14.95 Pressure Base)(PGA)	September 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
South Texas (14.95 Pressure Base)(Storage)			\$0.70805/Ccf		\$0.70805/Ccf		N/A
South Texas (14.95 Pressure Base) (CRR)			\$0.00280/Ccf		\$0.00280/Ccf		N/A
South Texas (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		N/A
			\$0.83331/Ccf		\$0.83331/Ccf		N/A
Tyler (PGA)	September 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Tyler (Storage)			\$0.69384/Ccf		\$0.69384/Ccf		\$0.69384/Ccf
Tyler (CRR)			\$0.00274/Ccf		\$0.00274/Ccf		\$0.00274/Ccf
Tyler (Total Filed with RRC)			\$0.12000/Ccf		\$0.12000/Ccf		\$0.12000/Ccf
			\$0.81658/Ccf		\$0.81658/Ccf		\$0.81658/Ccf
Houston-Conroe (14.95 Pressure Base)(PGA)	September 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Houston-Conroe (14.95 Pressure Base)(Storage)			\$0.70805/Ccf		\$0.70805/Ccf		\$0.70805/Ccf
Houston-Conroe (14.95 Pressure Base) (CRR)			\$0.00280/Ccf		\$0.00280/Ccf		\$0.00280/Ccf
Houston-Conroe (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		\$0.12246/Ccf
			\$0.83331/Ccf		\$0.83331/Ccf		\$0.83331/Ccf
Texas Coast (14.65 Pressure Base)(PGA)	September 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Texas Coast (14.65 Pressure Base)(Storage)			N/A		N/A		\$0.69384/Ccf
Texas Coast (14.65 Pressure Base) (CRR)			N/A		N/A		\$0.00274/Ccf
Texas Coast (14.65 Pressure Base)(Total Filed with RRC)			N/A		N/A		\$0.12000/Ccf
			N/A		N/A		\$0.81658/Ccf
Texas Coast (14.95 Pressure Base)(PGA)	September 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Texas Coast (14.95 Pressure Base)(Storage)			\$0.70805/Ccf		\$0.70805/Ccf		N/A
Texas Coast (14.95 Pressure Base) (CRR)			\$0.00280/Ccf		\$0.00280/Ccf		N/A
Texas Coast (14.95 Pressure Base)(Total Filed with RRC)			\$0.12246/Ccf		\$0.12246/Ccf		N/A
			\$0.83331/Ccf		\$0.83331/Ccf		N/A

**CENTERPOINT ENERGY TEXAS
PURCHASED GAS ADJUSTMENTS (PGA)**



SEPTEMBER 2025

Division	Billing Month	Residential Rate Schedule & PGA		General Service-Small Rate Schedule & PGA		General Service-Large Rate Schedule & PGA	
Beaumont (PGA)	September 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Beaumont (Storage)			\$0.70805/Ccf		\$0.70805/Ccf		\$0.69384/Ccf
Beaumont (CRR)			\$0.00280/Ccf		\$0.00280/Ccf		\$0.00274/Ccf
Beaumont (Total Filed with RRC)			\$0.12042/Ccf		\$0.12042/Ccf		\$0.11800/Ccf
			\$0.83127/Ccf		\$0.83127/Ccf		\$0.81458/Ccf
East Texas	September 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
East Texas (Storage)			\$0.69384/Ccf		\$0.69384/Ccf		\$0.69384/Ccf
East Texas (CRR)			\$0.00274/Ccf		\$0.00274/Ccf		\$0.00274/Ccf
East Texas (Total Filed with RRC)			\$0.11800/Ccf		\$0.11800/Ccf		\$0.11800/Ccf
			\$0.81458/Ccf		\$0.81458/Ccf		\$0.81458/Ccf
North East Texas	September 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
North East Texas (Storage)			\$0.69758/Ccf		\$0.69758/Ccf		\$0.69384/Ccf
North East Texas (CRR)			\$0.00276/Ccf		\$0.00276/Ccf		\$0.00274/Ccf
North East Texas (Total Filed with RRC)			\$0.11864/Ccf		\$0.11864/Ccf		\$0.11800/Ccf
			\$0.81898/Ccf		\$0.81898/Ccf		\$0.81458/Ccf
South Texas (14.65 Pressure Base)(PGA)	September 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
South Texas (14.65 Pressure Base)(Storage)			\$0.69384/Ccf		\$0.69384/Ccf		\$0.69384/Ccf
South Texas (14.65 Pressure Base) (CRR)			\$0.00274/Ccf		\$0.00274/Ccf		\$0.00274/Ccf
South Texas (14.65 Pressure Base)(Total Filed with RRC)			\$0.11800/Ccf		\$0.11800/Ccf		\$0.11800/Ccf
			\$0.81458/Ccf		\$0.81458/Ccf		\$0.81458/Ccf
South Texas (14.95 Pressure Base)(PGA)	September 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
South Texas (14.95 Pressure Base)(Storage)			\$0.70805/Ccf		\$0.70805/Ccf		N/A
South Texas (14.95 Pressure Base) (CRR)			\$0.00280/Ccf		\$0.00280/Ccf		N/A
South Texas (14.95 Pressure Base)(Total Filed with RRC)			\$0.12042/Ccf		\$0.12042/Ccf		N/A
			\$0.83127/Ccf		\$0.83127/Ccf		N/A
Tyler (PGA)	September 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Tyler (Storage)			\$0.69384/Ccf		\$0.69384/Ccf		\$0.69384/Ccf
Tyler (CRR)			\$0.00274/Ccf		\$0.00274/Ccf		\$0.00274/Ccf
Tyler (Total Filed with RRC)			\$0.11800/Ccf		\$0.11800/Ccf		\$0.11800/Ccf
			\$0.81458/Ccf		\$0.81458/Ccf		\$0.81458/Ccf
Houston-Conroe (14.95 Pressure Base)(PGA)	September 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Houston-Conroe (14.95 Pressure Base)(Storage)			\$0.70805/Ccf		\$0.70805/Ccf		\$0.70805/Ccf
Houston-Conroe (14.95 Pressure Base) (CRR)			\$0.00280/Ccf		\$0.00280/Ccf		\$0.00280/Ccf
Houston-Conroe (14.95 Pressure Base)(Total Filed with RRC)			\$0.12042/Ccf		\$0.12042/Ccf		\$0.12042/Ccf
			\$0.83127/Ccf		\$0.83127/Ccf		\$0.83127/Ccf
Texas Coast (14.65 Pressure Base)(PGA)	September 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Texas Coast (14.65 Pressure Base)(Storage)			N/A		N/A		\$0.69384/Ccf
Texas Coast (14.65 Pressure Base) (CRR)			N/A		N/A		\$0.00274/Ccf
Texas Coast (14.65 Pressure Base)(Total Filed with RRC)			N/A		N/A		\$0.11800/Ccf
			N/A		N/A		\$0.81458/Ccf
Texas Coast (14.95 Pressure Base)(PGA)	September 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Texas Coast (14.95 Pressure Base)(Storage)			\$0.70805/Ccf		\$0.70805/Ccf		N/A
Texas Coast (14.95 Pressure Base) (CRR)			\$0.00280/Ccf		\$0.00280/Ccf		N/A
Texas Coast (14.95 Pressure Base)(Total Filed with RRC)			\$0.12042/Ccf		\$0.12042/Ccf		N/A
			\$0.83127/Ccf		\$0.83127/Ccf		N/A

**CENTERPOINT ENERGY TEXAS
PURCHASED GAS ADJUSTMENTS (PGA)
AUGUST 2025**



Division	Billing Month	Residential Rate Schedule & PGA		General Service-Small Rate Schedule & PGA		General Service-Large Rate Schedule & PGA	
Beaumont (PGA)	August 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Beaumont (Storage)			\$0.70805/Ccf		\$0.70805/Ccf		\$0.69384/Ccf
Beaumont (CRR)			\$0.00281/Ccf		\$0.00281/Ccf		\$0.00275/Ccf
Beaumont (Total Filed with RRC)			\$0.12042/Ccf		\$0.12042/Ccf		\$0.11800/Ccf
			\$0.83128/Ccf		\$0.83128/Ccf		\$0.81459/Ccf
East Texas	August 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
East Texas (Storage)			\$0.69384/Ccf		\$0.69384/Ccf		\$0.69384/Ccf
East Texas (CRR)			\$0.00275/Ccf		\$0.00275/Ccf		\$0.00275/Ccf
East Texas (Total Filed with RRC)			\$0.11800/Ccf		\$0.11800/Ccf		\$0.11800/Ccf
			\$0.81459/Ccf		\$0.81459/Ccf		\$0.81459/Ccf
North East Texas	August 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
North East Texas (Storage)			\$0.69758/Ccf		\$0.69758/Ccf		\$0.69384/Ccf
North East Texas (CRR)			\$0.00277/Ccf		\$0.00275/Ccf		\$0.00275/Ccf
North East Texas (Total Filed with RRC)			\$0.11864/Ccf		\$0.11864/Ccf		\$0.11800/Ccf
			\$0.81899/Ccf		\$0.81899/Ccf		\$0.81459/Ccf
South Texas (14.65 Pressure Base)(PGA)	August 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
South Texas (14.65 Pressure Base)(Storage)			\$0.69384/Ccf		\$0.69384/Ccf		\$0.69384/Ccf
South Texas (14.65 Pressure Base) (CRR)			\$0.00275/Ccf		\$0.00275/Ccf		\$0.00275/Ccf
South Texas (14.65 Pressure Base)(Total Filed with RRC)			\$0.11800/Ccf		\$0.11800/Ccf		\$0.11800/Ccf
			\$0.81459/Ccf		\$0.81459/Ccf		\$0.81459/Ccf
South Texas (14.95 Pressure Base)(PGA)	August 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
South Texas (14.95 Pressure Base)(Storage)			\$0.70805/Ccf		\$0.70805/Ccf		N/A
South Texas (14.95 Pressure Base) (CRR)			\$0.00281/Ccf		\$0.00281/Ccf		N/A
South Texas (14.95 Pressure Base)(Total Filed with RRC)			\$0.12042/Ccf		\$0.12042/Ccf		N/A
			\$0.83128/Ccf		\$0.83128/Ccf		N/A
Tyler (PGA)	August 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Tyler (Storage)			\$0.69384/Ccf		\$0.69384/Ccf		\$0.69384/Ccf
Tyler (CRR)			\$0.00275/Ccf		\$0.00275/Ccf		\$0.00275/Ccf
Tyler (Total Filed with RRC)			\$0.11800/Ccf		\$0.11800/Ccf		\$0.11800/Ccf
			\$0.81459/Ccf		\$0.81459/Ccf		\$0.81459/Ccf
Houston-Conroe (14.95 Pressure Base)(PGA)	August 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Houston-Conroe (14.95 Pressure Base)(Storage)			\$0.70805/Ccf		\$0.70805/Ccf		\$0.70805/Ccf
Houston-Conroe (14.95 Pressure Base) (CRR)			\$0.00281/Ccf		\$0.00281/Ccf		\$0.00281/Ccf
Houston-Conroe (14.95 Pressure Base)(Total Filed with RRC)			\$0.12042/Ccf		\$0.12042/Ccf		\$0.12042/Ccf
			\$0.83128/Ccf		\$0.83128/Ccf		\$0.83128/Ccf
Texas Coast (14.65 Pressure Base)(PGA)	August 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Texas Coast (14.65 Pressure Base)(Storage)			N/A		N/A		\$0.69384/Ccf
Texas Coast (14.65 Pressure Base) (CRR)			N/A		N/A		\$0.00275/Ccf
Texas Coast (14.65 Pressure Base)(Total Filed with RRC)			N/A		N/A		\$0.11800/Ccf
			N/A		N/A		\$0.81459/Ccf
Texas Coast (14.95 Pressure Base)(PGA)	August 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Texas Coast (14.95 Pressure Base)(Storage)			\$0.70805/Ccf		\$0.70805/Ccf		N/A
Texas Coast (14.95 Pressure Base) (CRR)			\$0.00281/Ccf		\$0.00281/Ccf		N/A
Texas Coast (14.95 Pressure Base)(Total Filed with RRC)			\$0.12042/Ccf		\$0.12042/Ccf		N/A
			\$0.83128/Ccf		\$0.83128/Ccf		N/A

**CENTERPOINT ENERGY TEXAS
PURCHASED GAS ADJUSTMENTS (PGA)
JULY 2025**



Division	Billing Month	Residential Rate Schedule & PGA		General Service-Small Rate Schedule & PGA		General Service-Large Rate Schedule & PGA	
Beaumont (PGA)	July 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Beaumont (Storage)			\$0.68534/Ccf		\$0.68534/Ccf		\$0.67157/Ccf
Beaumont (CRR)			\$0.00284/Ccf		\$0.00284/Ccf		\$0.00278/Ccf
Beaumont (Total Filed with RRC)			\$0.12042/Ccf		\$0.12042/Ccf		\$0.11800/Ccf
			\$0.80860/Ccf		\$0.80860/Ccf		\$0.79235/Ccf
East Texas	July 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
East Texas (Storage)			\$0.67157/Ccf		\$0.67157/Ccf		\$0.67157/Ccf
East Texas (CRR)			\$0.00278/Ccf		\$0.00278/Ccf		\$0.00278/Ccf
East Texas (Total Filed with RRC)			\$0.11800/Ccf		\$0.11800/Ccf		\$0.11800/Ccf
			\$0.79235/Ccf		\$0.79235/Ccf		\$0.79235/Ccf
North East Texas	July 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
North East Texas (Storage)			\$0.67519/Ccf		\$0.67519/Ccf		\$0.67157/Ccf
North East Texas (CRR)			\$0.00280/Ccf		\$0.00280/Ccf		\$0.00278/Ccf
North East Texas (Total Filed with RRC)			\$0.11864/Ccf		\$0.11864/Ccf		\$0.11800/Ccf
			\$0.79663/Ccf		\$0.79663/Ccf		\$0.79235/Ccf
South Texas (14.65 Pressure Base)(PGA)	July 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
South Texas (14.65 Pressure Base)(Storage)			\$0.67157/Ccf		\$0.67157/Ccf		\$0.67157/Ccf
South Texas (14.65 Pressure Base) (CRR)			\$0.00278/Ccf		\$0.00278/Ccf		\$0.00278/Ccf
South Texas (14.65 Pressure Base)(Total Filed with RRC)			\$0.11800/Ccf		\$0.11800/Ccf		\$0.11800/Ccf
			\$0.79235/Ccf		\$0.79235/Ccf		\$0.79235/Ccf
South Texas (14.95 Pressure Base)(PGA)	July 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
South Texas (14.95 Pressure Base)(Storage)			\$0.68534/Ccf		\$0.68534/Ccf		N/A
South Texas (14.95 Pressure Base) (CRR)			\$0.00284/Ccf		\$0.00284/Ccf		N/A
South Texas (14.95 Pressure Base)(Total Filed with RRC)			\$0.12042/Ccf		\$0.12042/Ccf		N/A
			\$0.80860/Ccf		\$0.80860/Ccf		N/A
Tyler (PGA)	July 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Tyler (Storage)			\$0.67157/Ccf		\$0.67157/Ccf		\$0.67157/Ccf
Tyler (CRR)			\$0.00278/Ccf		\$0.00278/Ccf		\$0.00278/Ccf
Tyler (Total Filed with RRC)			\$0.11800/Ccf		\$0.11800/Ccf		\$0.11800/Ccf
			\$0.79235/Ccf		\$0.79235/Ccf		\$0.79235/Ccf
Houston-Conroe (14.95 Pressure Base)(PGA)	July 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Houston-Conroe (14.95 Pressure Base)(Storage)			\$0.68534/Ccf		\$0.68534/Ccf		\$0.68534/Ccf
Houston-Conroe (14.95 Pressure Base) (CRR)			\$0.00284/Ccf		\$0.00284/Ccf		\$0.00284/Ccf
Houston-Conroe (14.95 Pressure Base)(Total Filed with RRC)			\$0.12042/Ccf		\$0.12042/Ccf		\$0.12042/Ccf
			\$0.80860/Ccf		\$0.80860/Ccf		\$0.80860/Ccf
Texas Coast (14.65 Pressure Base)(PGA)	July 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Texas Coast (14.65 Pressure Base)(Storage)			N/A		N/A		\$0.67157/Ccf
Texas Coast (14.65 Pressure Base) (CRR)			N/A		N/A		\$0.00278/Ccf
Texas Coast (14.65 Pressure Base)(Total Filed with RRC)			N/A		N/A		\$0.11800/Ccf
			N/A		N/A		\$0.79235/Ccf
Texas Coast (14.95 Pressure Base)(PGA)	July 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Texas Coast (14.95 Pressure Base)(Storage)			\$0.68534/Ccf		\$0.68534/Ccf		N/A
Texas Coast (14.95 Pressure Base) (CRR)			\$0.00284/Ccf		\$0.00284/Ccf		N/A
Texas Coast (14.95 Pressure Base)(Total Filed with RRC)			\$0.12042/Ccf		\$0.12042/Ccf		N/A
			\$0.80860/Ccf		\$0.80860/Ccf		N/A

**CENTERPOINT ENERGY TEXAS
PURCHASED GAS ADJUSTMENTS (PGA)**



JUNE 2025

Division	Billing Month	Residential Rate Schedule & PGA		General Service-Small Rate Schedule & PGA		General Service-Large Rate Schedule & PGA	
Beaumont (PGA)	June 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Beaumont (Storage)			\$0.68534/Ccf		\$0.68534/Ccf		\$0.67157/Ccf
Beaumont (CRR)			\$0.00288/Ccf		\$0.00288/Ccf		\$0.00282/Ccf
Beaumont (Total Filed with RRC)			\$0.12042/Ccf		\$0.12042/Ccf		\$0.11800/Ccf
			\$0.80864/Ccf		\$0.80864/Ccf		\$0.79239/Ccf
East Texas	June 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
East Texas (Storage)			\$0.67157/Ccf		\$0.67157/Ccf		\$0.67157/Ccf
East Texas (CRR)			\$0.00282/Ccf		\$0.00282/Ccf		\$0.00282/Ccf
East Texas (Total Filed with RRC)			\$0.11800/Ccf		\$0.11800/Ccf		\$0.11800/Ccf
			\$0.79239/Ccf		\$0.79239/Ccf		\$0.79239/Ccf
North East Texas	June 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
North East Texas (Storage)			\$0.67519/Ccf		\$0.67519/Ccf		\$0.67157/Ccf
North East Texas (CRR)			\$0.00284/Ccf		\$0.00284/Ccf		\$0.00282/Ccf
North East Texas (Total Filed with RRC)			\$0.11864/Ccf		\$0.11864/Ccf		\$0.11800/Ccf
			\$0.79667/Ccf		\$0.79667/Ccf		\$0.79239/Ccf
South Texas (14.65 Pressure Base)(PGA)	June 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
South Texas (14.65 Pressure Base)(Storage)			\$0.67157/Ccf		\$0.67157/Ccf		\$0.67157/Ccf
South Texas (14.65 Pressure Base) (CRR)			\$0.00282/Ccf		\$0.00282/Ccf		\$0.00282/Ccf
South Texas (14.65 Pressure Base)(Total Filed with RRC)			\$0.11800/Ccf		\$0.11800/Ccf		\$0.11800/Ccf
			\$0.79239/Ccf		\$0.79239/Ccf		\$0.79239/Ccf
South Texas (14.95 Pressure Base)(PGA)	June 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
South Texas (14.95 Pressure Base)(Storage)			\$0.68534/Ccf		\$0.68534/Ccf		N/A
South Texas (14.95 Pressure Base) (CRR)			\$0.00288/Ccf		\$0.00288/Ccf		N/A
South Texas (14.95 Pressure Base)(Total Filed with RRC)			\$0.12042/Ccf		\$0.12042/Ccf		N/A
			\$0.80864/Ccf		\$0.80864/Ccf		N/A
Tyler (PGA)	June 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Tyler (Storage)			\$0.67157/Ccf		\$0.67157/Ccf		\$0.67157/Ccf
Tyler (CRR)			\$0.00282/Ccf		\$0.00282/Ccf		\$0.00282/Ccf
Tyler (Total Filed with RRC)			\$0.11800/Ccf		\$0.11800/Ccf		\$0.11800/Ccf
			\$0.79239/Ccf		\$0.79239/Ccf		\$0.79239/Ccf
Houston-Conroe (14.95 Pressure Base)(PGA)	June 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Houston-Conroe (14.95 Pressure Base)(Storage)			\$0.68534/Ccf		\$0.68534/Ccf		\$0.68534/Ccf
Houston-Conroe (14.95 Pressure Base) (CRR)			\$0.00288/Ccf		\$0.00288/Ccf		\$0.00288/Ccf
Houston-Conroe (14.95 Pressure Base)(Total Filed with RRC)			\$0.12042/Ccf		\$0.12042/Ccf		\$0.12042/Ccf
			\$0.80864/Ccf		\$0.80864/Ccf		\$0.80864/Ccf
Texas Coast (14.65 Pressure Base)(PGA)	June 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Texas Coast (14.65 Pressure Base)(Storage)			N/A		N/A		\$0.67157/Ccf
Texas Coast (14.65 Pressure Base) (CRR)			N/A		N/A		\$0.00282/Ccf
Texas Coast (14.65 Pressure Base)(Total Filed with RRC)			N/A		N/A		\$0.11800/Ccf
			N/A		N/A		\$0.79239/Ccf
Texas Coast (14.95 Pressure Base)(PGA)	June 2025	R-2099-I GRIP 2025 &	R-2099-U GRIP 2025	GSS-2099-I-2025 &	GSS-2099-U-2025	GSLV-630-I-2025 &	GSLV-630-U-2025
Texas Coast (14.95 Pressure Base)(Storage)			\$0.68534/Ccf		\$0.68534/Ccf		N/A
Texas Coast (14.95 Pressure Base) (CRR)			\$0.00288/Ccf		\$0.00288/Ccf		N/A
Texas Coast (14.95 Pressure Base)(Total Filed with RRC)			\$0.12042/Ccf		\$0.12042/Ccf		N/A
			\$0.80864/Ccf		\$0.80864/Ccf		N/A

**CENTERPOINT ENERGY TEXAS
PURCHASED GAS ADJUSTMENTS (PGA)**



MAY 2025

Division	Billing Month	Residential Rate Schedule & PGA	General Service-Small Rate Schedule & PGA	General Service-Large Rate Schedule & PGA
Beaumont (PGA)	May 2025	R-2099-I & R-2099-U \$0.68534/Ccf	GSS-2099-I & GSS-2099-U \$0.68534/Ccf	GSLV-630-I & GSLV-630-U \$0.67157/Ccf
Beaumont (Storage)		\$0.00290/Ccf	\$0.00290/Ccf	\$0.00284/Ccf
Beaumont (CRR)		\$0.12042/Ccf	\$0.12042/Ccf	\$0.11800/Ccf
Beaumont (Total Filed with RRC)		\$0.80866/Ccf	\$0.80866/Ccf	\$0.79241/Ccf
East Texas	May 2025	R-2099-I & R-2099-U \$0.67157/Ccf	GSS-2099-I & GSS-2099-U \$0.67157/Ccf	GSLV-630-I & GSLV-630-U \$0.67157/Ccf
East Texas (Storage)		\$0.00284/Ccf	\$0.00284/Ccf	\$0.00284/Ccf
East Texas (CRR)		\$0.11800/Ccf	\$0.11800/Ccf	\$0.11800/Ccf
East Texas (Total Filed with RRC)		\$0.79241/Ccf	\$0.79241/Ccf	\$0.79241/Ccf
North East Texas	May 2025	R-2099-I & R-2099-U \$0.67519/Ccf	GSS-2099-I & GSS-2099-U \$0.67519/Ccf	GSLV-630-I & GSLV-630-U \$0.67157/Ccf
North East Texas (Storage)		\$0.00286/Ccf	\$0.00286/Ccf	\$0.00284/Ccf
North East Texas (CRR)		\$0.11864/Ccf	\$0.11864/Ccf	\$0.11800/Ccf
North East Texas (Total Filed with RRC)		\$0.79669/Ccf	\$0.79669/Ccf	\$0.79241/Ccf
South Texas (14.65 Pressure Base)(PGA)	May 2025	R-2099-I & R-2099-U \$0.67157/Ccf	GSS-2099-I & GSS-2099-U \$0.67157/Ccf	GSLV-630-I & GSLV-630-U \$0.67157/Ccf
South Texas (14.65 Pressure Base)(Storage)		\$0.00284/Ccf	\$0.00284/Ccf	\$0.00284/Ccf
South Texas (14.65 Pressure Base) (CRR)		\$0.11800/Ccf	\$0.11800/Ccf	\$0.11800/Ccf
South Texas (14.65 Pressure Base)(Total Filed with RRC)		\$0.79241/Ccf	\$0.79241/Ccf	\$0.79241/Ccf
South Texas (14.95 Pressure Base)(PGA)	May 2025	R-2099-I & R-2099-U \$0.68534/Ccf	GSS-2099-I & GSS-2099-U \$0.68534/Ccf	N/A
South Texas (14.95 Pressure Base)(Storage)		\$0.00290/Ccf	\$0.00290/Ccf	N/A
South Texas (14.95 Pressure Base) (CRR)		\$0.12042/Ccf	\$0.12042/Ccf	N/A
South Texas (14.95 Pressure Base)(Total Filed with RRC)		\$0.80866/Ccf	\$0.80866/Ccf	N/A
Tyler (PGA)	May 2025	R-2099-I & R-2099-U \$0.67157/Ccf	GSS-2099-I & GSS-2099-U \$0.67157/Ccf	GSLV-630-I & GSLV-630-U \$0.67157/Ccf
Tyler (Storage)		\$0.00284/Ccf	\$0.00284/Ccf	\$0.00284/Ccf
Tyler (CRR)		\$0.11800/Ccf	\$0.11800/Ccf	\$0.11800/Ccf
Tyler (Total Filed with RRC)		\$0.79241/Ccf	\$0.79241/Ccf	\$0.79241/Ccf
Houston-Conroe (14.95 Pressure Base)(PGA)	May 2025	R-2099-I & R-2099-U \$0.68534/Ccf	GSS-2099-I & GSS-2099-U \$0.68534/Ccf	GSLV-630-I & GSLV-630-U \$0.68534/Ccf
Houston-Conroe (14.95 Pressure Base)(Storage)		\$0.00290/Ccf	\$0.00290/Ccf	\$0.00290/Ccf
Houston-Conroe (14.95 Pressure Base) (CRR)		\$0.12042/Ccf	\$0.12042/Ccf	\$0.12042/Ccf
Houston-Conroe (14.95 Pressure Base)(Total Filed with RRC)		\$0.80866/Ccf	\$0.80866/Ccf	\$0.80866/Ccf
Texas Coast (14.65 Pressure Base)(PGA)	May 2025	R-2099-I & R-2099-U N/A	GSS-2099-I & GSS-2099-U N/A	GSLV-630-I & GSLV-630-U \$0.67157/Ccf
Texas Coast (14.65 Pressure Base)(Storage)		N/A	N/A	\$0.00284/Ccf
Texas Coast (14.65 Pressure Base) (CRR)		N/A	N/A	\$0.11800/Ccf
Texas Coast (14.65 Pressure Base)(Total Filed with RRC)		N/A	N/A	\$0.79241/Ccf
Texas Coast (14.95 Pressure Base)(PGA)	May 2025	R-2099-I & R-2099-U \$0.68534/Ccf	GSS-2099-I & GSS-2099-U \$0.68534/Ccf	GSLV-630-I & GSLV-630-U N/A
Texas Coast (14.95 Pressure Base)(Storage)		\$0.00290/Ccf	\$0.00290/Ccf	N/A
Texas Coast (14.95 Pressure Base) (CRR)		\$0.12042/Ccf	\$0.12042/Ccf	N/A
Texas Coast (14.95 Pressure Base)(Total Filed with RRC)		\$0.80866/Ccf	\$0.80866/Ccf	N/A

**CENTERPOINT ENERGY TEXAS
PURCHASED GAS ADJUSTMENTS (PGA)**



APRIL 2025

Division	Billing Month	Residential Rate Schedule & PGA	General Service-Small Rate Schedule & PGA	General Service-Large Rate Schedule & PGA
Beaumont (PGA)	April 2025	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
Beaumont (Storage)		\$0.68534/Ccf	\$0.68534/Ccf	\$0.67157/Ccf
Beaumont (CRR)		\$0.00293/Ccf	\$0.00293/Ccf	\$0.00287/Ccf
Beaumont (Total Filed with RRC)		\$0.12042/Ccf	\$0.12042/Ccf	\$0.11800/Ccf
		\$0.80869/Ccf	\$0.80869/Ccf	\$0.79244/Ccf
East Texas	April 2025	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
East Texas (Storage)		\$0.67157/Ccf	\$0.67157/Ccf	\$0.67157/Ccf
East Texas (CRR)		\$0.00287/Ccf	\$0.00287/Ccf	\$0.00287/Ccf
East Texas (Total Filed with RRC)		\$0.11800/Ccf	\$0.11800/Ccf	\$0.11800/Ccf
		\$0.79244/Ccf	\$0.79244/Ccf	\$0.79244/Ccf
North East Texas	April 2025	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
North East Texas (Storage)		\$0.67519/Ccf	\$0.67519/Ccf	\$0.67157/Ccf
North East Texas (CRR)		\$0.00289/Ccf	\$0.00289/Ccf	\$0.00287/Ccf
North East Texas (Total Filed with RRC)		\$0.11864/Ccf	\$0.11864/Ccf	\$0.11800/Ccf
		\$0.79672/Ccf	\$0.79672/Ccf	\$0.79244/Ccf
South Texas (14.65 Pressure Base)(PGA)	April 2025	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
South Texas (14.65 Pressure Base)(Storage)		\$0.67157/Ccf	\$0.67157/Ccf	\$0.67157/Ccf
South Texas (14.65 Pressure Base) (CRR)		\$0.00287/Ccf	\$0.00287/Ccf	\$0.00287/Ccf
South Texas (14.65 Pressure Base)(Total Filed with RRC)		\$0.11800/Ccf	\$0.11800/Ccf	\$0.11800/Ccf
		\$0.79244/Ccf	\$0.79244/Ccf	\$0.79244/Ccf
South Texas (14.95 Pressure Base)(PGA)	April 2025	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
South Texas (14.95 Pressure Base)(Storage)		\$0.68534/Ccf	\$0.68534/Ccf	N/A
South Texas (14.95 Pressure Base) (CRR)		\$0.00293/Ccf	\$0.00293/Ccf	N/A
South Texas (14.95 Pressure Base)(Total Filed with RRC)		\$0.12042/Ccf	\$0.12042/Ccf	N/A
		\$0.80869/Ccf	\$0.80869/Ccf	N/A
Tyler (PGA)	April 2025	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
Tyler (Storage)		\$0.67157/Ccf	\$0.67157/Ccf	\$0.67157/Ccf
Tyler (CRR)		\$0.00287/Ccf	\$0.00287/Ccf	\$0.00287/Ccf
Tyler (Total Filed with RRC)		\$0.11800/Ccf	\$0.11800/Ccf	\$0.11800/Ccf
		\$0.79244/Ccf	\$0.79244/Ccf	\$0.79244/Ccf
Houston-Conroe (14.95 Pressure Base)(PGA)	April 2025	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
Houston-Conroe (14.95 Pressure Base)(Storage)		\$0.68534/Ccf	\$0.68534/Ccf	\$0.68534/Ccf
Houston-Conroe (14.95 Pressure Base) (CRR)		\$0.00293/Ccf	\$0.00293/Ccf	\$0.00293/Ccf
Houston-Conroe (14.95 Pressure Base)(Total Filed with RRC)		\$0.12042/Ccf	\$0.12042/Ccf	\$0.12042/Ccf
		\$0.80869/Ccf	\$0.80869/Ccf	\$0.80869/Ccf
Texas Coast (14.65 Pressure Base)(PGA)	April 2025	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
Texas Coast (14.65 Pressure Base)(Storage)		N/A	N/A	\$0.67157/Ccf
Texas Coast (14.65 Pressure Base) (CRR)		N/A	N/A	\$0.00287/Ccf
Texas Coast (14.65 Pressure Base)(Total Filed with RRC)		N/A	N/A	\$0.11800/Ccf
		N/A	N/A	\$0.79244/Ccf
Texas Coast (14.95 Pressure Base)(PGA)	April 2025	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
Texas Coast (14.95 Pressure Base)(Storage)		\$0.68534/Ccf	\$0.68534/Ccf	N/A
Texas Coast (14.95 Pressure Base) (CRR)		\$0.00293/Ccf	\$0.00293/Ccf	N/A
Texas Coast (14.95 Pressure Base)(Total Filed with RRC)		\$0.12042/Ccf	\$0.12042/Ccf	N/A
		\$0.80869/Ccf	\$0.80869/Ccf	N/A

**CENTERPOINT ENERGY TEXAS
PURCHASED GAS ADJUSTMENTS (PGA)**



MARCH 2025

Division	Billing Month	Residential Rate Schedule & PGA	General Service-Small Rate Schedule & PGA	General Service-Large Rate Schedule & PGA
Beaumont (PGA)	March 2025	R-2099-I & R-2099-U \$0.68534/Ccf	GSS-2099-I & GSS-2099-U \$0.68534/Ccf	GSLV-630-I & GSLV-630-U \$0.67157/Ccf
Beaumont (Storage)		\$0.00299/Ccf	\$0.00299/Ccf	\$0.00293/Ccf
Beaumont (CRR)		\$0.12042/Ccf	\$0.12042/Ccf	\$0.11800/Ccf
Beaumont (Total Filed with RRC)		\$0.80875/Ccf	\$0.80875/Ccf	\$0.79250/Ccf
East Texas	March 2025	R-2099-I & R-2099-U \$0.67157/Ccf	GSS-2099-I & GSS-2099-U \$0.67157/Ccf	GSLV-630-I & GSLV-630-U \$0.67157/Ccf
East Texas (Storage)		\$0.00293/Ccf	\$0.00293/Ccf	\$0.00293/Ccf
East Texas (CRR)		\$0.11800/Ccf	\$0.11800/Ccf	\$0.11800/Ccf
East Texas (Total Filed with RRC)		\$0.79250/Ccf	\$0.79250/Ccf	\$0.79250/Ccf
North East Texas	March 2025	R-2099-I & R-2099-U \$0.67519/Ccf	GSS-2099-I & GSS-2099-U \$0.67519/Ccf	GSLV-630-I & GSLV-630-U \$0.67157/Ccf
North East Texas (Storage)		\$0.00295/Ccf	\$0.00295/Ccf	\$0.00293/Ccf
North East Texas (CRR)		\$0.11864/Ccf	\$0.11864/Ccf	\$0.11800/Ccf
North East Texas (Total Filed with RRC)		\$0.79678/Ccf	\$0.79678/Ccf	\$0.79250/Ccf
South Texas (14.65 Pressure Base)(PGA)	March 2025	R-2099-I & R-2099-U \$0.67157/Ccf	GSS-2099-I & GSS-2099-U \$0.67157/Ccf	GSLV-630-I & GSLV-630-U \$0.67157/Ccf
South Texas (14.65 Pressure Base)(Storage)		\$0.00293/Ccf	\$0.00293/Ccf	\$0.00293/Ccf
South Texas (14.65 Pressure Base) (CRR)		\$0.11800/Ccf	\$0.11800/Ccf	\$0.11800/Ccf
South Texas (14.65 Pressure Base)(Total Filed with RRC)		\$0.79250/Ccf	\$0.79250/Ccf	\$0.79250/Ccf
South Texas (14.95 Pressure Base)(PGA)	March 2025	R-2099-I & R-2099-U \$0.68534/Ccf	GSS-2099-I & GSS-2099-U \$0.68534/Ccf	GSLV-630-I & GSLV-630-U N/A
South Texas (14.95 Pressure Base)(Storage)		\$0.00299/Ccf	\$0.00299/Ccf	N/A
South Texas (14.95 Pressure Base) (CRR)		\$0.12042/Ccf	\$0.12042/Ccf	N/A
South Texas (14.95 Pressure Base)(Total Filed with RRC)		\$0.80875/Ccf	\$0.80875/Ccf	N/A
Tyler (PGA)	March 2025	R-2099-I & R-2099-U \$0.67157/Ccf	GSS-2099-I & GSS-2099-U \$0.67157/Ccf	GSLV-630-I & GSLV-630-U \$0.67157/Ccf
Tyler (Storage)		\$0.00293/Ccf	\$0.00293/Ccf	\$0.00293/Ccf
Tyler (CRR)		\$0.11800/Ccf	\$0.11800/Ccf	\$0.11800/Ccf
Tyler (Total Filed with RRC)		\$0.79250/Ccf	\$0.79250/Ccf	\$0.79250/Ccf
Houston-Conroe (14.95 Pressure Base)(PGA)	March 2025	R-2099-I & R-2099-U \$0.68534/Ccf	GSS-2099-I & GSS-2099-U \$0.68534/Ccf	GSLV-630-I & GSLV-630-U \$0.68534/Ccf
Houston-Conroe (14.95 Pressure Base)(Storage)		\$0.00299/Ccf	\$0.00299/Ccf	\$0.00299/Ccf
Houston-Conroe (14.95 Pressure Base) (CRR)		\$0.12042/Ccf	\$0.12042/Ccf	\$0.12042/Ccf
Houston-Conroe (14.95 Pressure Base)(Total Filed with RRC)		\$0.80875/Ccf	\$0.80875/Ccf	\$0.80875/Ccf
Texas Coast (14.65 Pressure Base)(PGA)	March 2025	R-2099-I & R-2099-U N/A	GSS-2099-I & GSS-2099-U N/A	GSLV-630-I & GSLV-630-U \$0.67157/Ccf
Texas Coast (14.65 Pressure Base)(Storage)		N/A	N/A	\$0.00293/Ccf
Texas Coast (14.65 Pressure Base) (CRR)		N/A	N/A	\$0.11800/Ccf
Texas Coast (14.65 Pressure Base)(Total Filed with RRC)		N/A	N/A	\$0.79250/Ccf
Texas Coast (14.95 Pressure Base)(PGA)	March 2025	R-2099-I & R-2099-U \$0.68534/Ccf	GSS-2099-I & GSS-2099-U \$0.68534/Ccf	GSLV-630-I & GSLV-630-U N/A
Texas Coast (14.95 Pressure Base)(Storage)		\$0.00299/Ccf	\$0.00299/Ccf	N/A
Texas Coast (14.95 Pressure Base) (CRR)		\$0.12042/Ccf	\$0.12042/Ccf	N/A
Texas Coast (14.95 Pressure Base)(Total Filed with RRC)		\$0.80875/Ccf	\$0.80875/Ccf	N/A

**CENTERPOINT ENERGY TEXAS
PURCHASED GAS ADJUSTMENTS (PGA)**



FEBRUARY 2025

Division	Billing Month	Residential Rate Schedule & PGA	General Service-Small Rate Schedule & PGA	General Service-Large Rate Schedule & PGA
Beaumont (PGA)	February 2025	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
Beaumont (Storage)		\$0.68534/Ccf	\$0.68534/Ccf	\$0.67157/Ccf
Beaumont (CRR)		\$0.00301/Ccf	\$0.00301/Ccf	\$0.00295/Ccf
Beaumont (Total Filed with RRC)		\$0.12042/Ccf	\$0.12042/Ccf	\$0.11800/Ccf
		\$0.80877/Ccf	\$0.80877/Ccf	\$0.79252/Ccf
East Texas	February 2025	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
East Texas (Storage)		\$0.67157/Ccf	\$0.67157/Ccf	\$0.67157/Ccf
East Texas (CRR)		\$0.00295/Ccf	\$0.00295/Ccf	\$0.00295/Ccf
East Texas (Total Filed with RRC)		\$0.11800/Ccf	\$0.11800/Ccf	\$0.11800/Ccf
		\$0.79252/Ccf	\$0.79252/Ccf	\$0.79252/Ccf
North East Texas	February 2025	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
North East Texas (Storage)		\$0.67519/Ccf	\$0.67519/Ccf	\$0.67157/Ccf
North East Texas (CRR)		\$0.00297/Ccf	\$0.00297/Ccf	\$0.00295/Ccf
North East Texas (Total Filed with RRC)		\$0.11864/Ccf	\$0.11864/Ccf	\$0.11800/Ccf
		\$0.79680/Ccf	\$0.79680/Ccf	\$0.79252/Ccf
South Texas (14.65 Pressure Base)(PGA)	February 2025	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
South Texas (14.65 Pressure Base)(Storage)		\$0.67157/Ccf	\$0.67157/Ccf	\$0.67157/Ccf
South Texas (14.65 Pressure Base) (CRR)		\$0.00295/Ccf	\$0.00295/Ccf	\$0.00295/Ccf
South Texas (14.65 Pressure Base)(Total Filed with RRC)		\$0.11800/Ccf	\$0.11800/Ccf	\$0.11800/Ccf
		\$0.79252/Ccf	\$0.79252/Ccf	\$0.79252/Ccf
South Texas (14.95 Pressure Base)(PGA)	February 2025	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
South Texas (14.95 Pressure Base)(Storage)		\$0.68534/Ccf	\$0.68534/Ccf	N/A
South Texas (14.95 Pressure Base) (CRR)		\$0.00301/Ccf	\$0.00301/Ccf	N/A
South Texas (14.95 Pressure Base)(Total Filed with RRC)		\$0.12042/Ccf	\$0.12042/Ccf	N/A
		\$0.80877/Ccf	\$0.80877/Ccf	N/A
Tyler (PGA)	February 2025	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
Tyler (Storage)		\$0.67157/Ccf	\$0.67157/Ccf	\$0.67157/Ccf
Tyler (CRR)		\$0.00295/Ccf	\$0.00295/Ccf	\$0.00295/Ccf
Tyler (Total Filed with RRC)		\$0.11800/Ccf	\$0.11800/Ccf	\$0.11800/Ccf
		\$0.79252/Ccf	\$0.79252/Ccf	\$0.79252/Ccf
Houston-Conroe (14.95 Pressure Base)(PGA)	February 2025	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
Houston-Conroe (14.95 Pressure Base)(Storage)		\$0.68534/Ccf	\$0.68534/Ccf	\$0.68534/Ccf
Houston-Conroe (14.95 Pressure Base) (CRR)		\$0.00301/Ccf	\$0.00301/Ccf	\$0.00301/Ccf
Houston-Conroe (14.95 Pressure Base)(Total Filed with RRC)		\$0.12042/Ccf	\$0.12042/Ccf	\$0.12042/Ccf
		\$0.80877/Ccf	\$0.80877/Ccf	\$0.80877/Ccf
Texas Coast (14.65 Pressure Base)(PGA)	February 2025	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
Texas Coast (14.65 Pressure Base)(Storage)		N/A	N/A	\$0.67157/Ccf
Texas Coast (14.65 Pressure Base) (CRR)		N/A	N/A	\$0.00295/Ccf
Texas Coast (14.65 Pressure Base)(Total Filed with RRC)		N/A	N/A	\$0.11800/Ccf
		N/A	N/A	\$0.79252/Ccf
Texas Coast (14.95 Pressure Base)(PGA)	February 2025	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
Texas Coast (14.95 Pressure Base)(Storage)		\$0.68534/Ccf	\$0.68534/Ccf	N/A
Texas Coast (14.95 Pressure Base) (CRR)		\$0.00301/Ccf	\$0.00301/Ccf	N/A
Texas Coast (14.95 Pressure Base)(Total Filed with RRC)		\$0.12042/Ccf	\$0.12042/Ccf	N/A
		\$0.80877/Ccf	\$0.80877/Ccf	N/A

**CENTERPOINT ENERGY TEXAS
PURCHASED GAS ADJUSTMENTS (PGA)**



JANUARY 2025

Division	Billing Month	Residential Rate Schedule & PGA	General Service-Small Rate Schedule & PGA	General Service-Large Rate Schedule & PGA
Beaumont (PGA)	January 2025	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
Beaumont (Storage)		\$0.58126/Ccf	\$0.58126/Ccf	\$0.56960/Ccf
Beaumont (CRR)		\$0.00319/Ccf	\$0.00319/Ccf	\$0.00313/Ccf
Beaumont (Total Filed with RRC)		\$0.12042/Ccf	\$0.12042/Ccf	\$0.11800/Ccf
		\$0.70487/Ccf	\$0.70487/Ccf	\$0.69073/Ccf
East Texas	January 2025	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
East Texas (Storage)		\$0.56960/Ccf	\$0.56960/Ccf	\$0.56960/Ccf
East Texas (CRR)		\$0.00313/Ccf	\$0.00313/Ccf	\$0.00313/Ccf
East Texas (Total Filed with RRC)		\$0.11800/Ccf	\$0.11800/Ccf	\$0.11800/Ccf
		\$0.69073/Ccf	\$0.69073/Ccf	\$0.69073/Ccf
North East Texas	January 2025	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
North East Texas (Storage)		\$0.57274/Ccf	\$0.57274/Ccf	\$0.56960/Ccf
North East Texas (CRR)		\$0.00314/Ccf	\$0.00314/Ccf	\$0.00313/Ccf
North East Texas (Total Filed with RRC)		\$0.11864/Ccf	\$0.11864/Ccf	\$0.11800/Ccf
		\$0.69452/Ccf	\$0.69452/Ccf	\$0.69073/Ccf
South Texas (14.65 Pressure Base)(PGA)	January 2025	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
South Texas (14.65 Pressure Base)(Storage)		\$0.56960/Ccf	\$0.56960/Ccf	\$0.56960/Ccf
South Texas (14.65 Pressure Base) (CRR)		\$0.00313/Ccf	\$0.00313/Ccf	\$0.00313/Ccf
South Texas (14.65 Pressure Base)(Total Filed with RRC)		\$0.11800/Ccf	\$0.11800/Ccf	\$0.11800/Ccf
		\$0.69073/Ccf	\$0.69073/Ccf	\$0.69073/Ccf
South Texas (14.95 Pressure Base)(PGA)	January 2025	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
South Texas (14.95 Pressure Base)(Storage)		\$0.58126/Ccf	\$0.58126/Ccf	N/A
South Texas (14.95 Pressure Base) (CRR)		\$0.00319/Ccf	\$0.00319/Ccf	N/A
South Texas (14.95 Pressure Base)(Total Filed with RRC)		\$0.12042/Ccf	\$0.12042/Ccf	N/A
		\$0.70487/Ccf	\$0.70487/Ccf	N/A
Tyler (PGA)	January 2025	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
Tyler (Storage)		\$0.56960/Ccf	\$0.56960/Ccf	\$0.56960/Ccf
Tyler (CRR)		\$0.00313/Ccf	\$0.00313/Ccf	\$0.00313/Ccf
Tyler (Total Filed with RRC)		\$0.11800/Ccf	\$0.11800/Ccf	\$0.11800/Ccf
		\$0.69073/Ccf	\$0.69073/Ccf	\$0.69073/Ccf
Houston-Conroe (14.95 Pressure Base)(PGA)	January 2025	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
Houston-Conroe (14.95 Pressure Base)(Storage)		\$0.58126/Ccf	\$0.58126/Ccf	\$0.58126/Ccf
Houston-Conroe (14.95 Pressure Base) (CRR)		\$0.00319/Ccf	\$0.00319/Ccf	\$0.00319/Ccf
Houston-Conroe (14.95 Pressure Base)(Total Filed with RRC)		\$0.12042/Ccf	\$0.12042/Ccf	\$0.12042/Ccf
		\$0.70487/Ccf	\$0.70487/Ccf	\$0.70487/Ccf
Texas Coast (14.65 Pressure Base)(PGA)	January 2025	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
Texas Coast (14.65 Pressure Base)(Storage)		N/A	N/A	\$0.56960/Ccf
Texas Coast (14.65 Pressure Base) (CRR)		N/A	N/A	\$0.00313/Ccf
Texas Coast (14.65 Pressure Base)(Total Filed with RRC)		N/A	N/A	\$0.11800/Ccf
		N/A	N/A	\$0.69073/Ccf
Texas Coast (14.95 Pressure Base)(PGA)	January 2025	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
Texas Coast (14.95 Pressure Base)(Storage)		\$0.58126/Ccf	\$0.58126/Ccf	N/A
Texas Coast (14.95 Pressure Base) (CRR)		\$0.00319/Ccf	\$0.00319/Ccf	N/A
Texas Coast (14.95 Pressure Base)(Total Filed with RRC)		\$0.12042/Ccf	\$0.12042/Ccf	N/A
		\$0.70487/Ccf	\$0.70487/Ccf	N/A

**CENTERPOINT ENERGY TEXAS
PURCHASED GAS ADJUSTMENTS (PGA)**



DECEMBER 2024

Division	Billing Month	Residential Rate Schedule & PGA	General Service-Small Rate Schedule & PGA	General Service-Large Rate Schedule & PGA
Beaumont (PGA)	December 2024	R-2099-I & R-2099-U \$0.58126/Ccf	GSS-2099-I & GSS-2099-U \$0.58126/Ccf	GSLV-630-I & GSLV-630-U \$0.56960/Ccf
Beaumont (Storage)		\$0.00337/Ccf	\$0.00337/Ccf	\$0.00330/Ccf
Beaumont (CRR)		\$0.12042/Ccf	\$0.12042/Ccf	\$0.11800/Ccf
Beaumont (Total Filed with RRC)		\$0.70505/Ccf	\$0.70505/Ccf	\$0.69090/Ccf
East Texas	December 2024	R-2099-I & R-2099-U \$0.56960/Ccf	GSS-2099-I & GSS-2099-U \$0.56960/Ccf	GSLV-630-I & GSLV-630-U \$0.56960/Ccf
East Texas (Storage)		\$0.00330/Ccf	\$0.00330/Ccf	\$0.00330/Ccf
East Texas (CRR)		\$0.11800/Ccf	\$0.11800/Ccf	\$0.11800/Ccf
East Texas (Total Filed with RRC)		\$0.69090/Ccf	\$0.69090/Ccf	\$0.69090/Ccf
North East Texas	December 2024	R-2099-I & R-2099-U \$0.57274/Ccf	GSS-2099-I & GSS-2099-U \$0.57274/Ccf	GSLV-630-I & GSLV-630-U \$0.56960/Ccf
North East Texas (Storage)		\$0.00332/Ccf	\$0.00332/Ccf	\$0.00330/Ccf
North East Texas (CRR)		\$0.11864/Ccf	\$0.11864/Ccf	\$0.11800/Ccf
North East Texas (Total Filed with RRC)		\$0.69470/Ccf	\$0.69470/Ccf	\$0.69090/Ccf
South Texas (14.65 Pressure Base)(PGA)	December 2024	R-2099-I & R-2099-U \$0.56960/Ccf	GSS-2099-I & GSS-2099-U \$0.56960/Ccf	GSLV-630-I & GSLV-630-U \$0.56960/Ccf
South Texas (14.65 Pressure Base)(Storage)		\$0.00330/Ccf	\$0.00330/Ccf	\$0.00330/Ccf
South Texas (14.65 Pressure Base) (CRR)		\$0.11800/Ccf	\$0.11800/Ccf	\$0.11800/Ccf
South Texas (14.65 Pressure Base)(Total Filed with RRC)		\$0.69090/Ccf	\$0.69090/Ccf	\$0.69090/Ccf
South Texas (14.95 Pressure Base)(PGA)	December 2024	R-2099-I & R-2099-U \$0.58126/Ccf	GSS-2099-I & GSS-2099-U \$0.58126/Ccf	GSLV-630-I & GSLV-630-U N/A
South Texas (14.95 Pressure Base)(Storage)		\$0.00337/Ccf	\$0.00337/Ccf	N/A
South Texas (14.95 Pressure Base) (CRR)		\$0.12042/Ccf	\$0.12042/Ccf	N/A
South Texas (14.95 Pressure Base)(Total Filed with RRC)		\$0.70505/Ccf	\$0.70505/Ccf	N/A
Tyler (PGA)	December 2024	R-2099-I & R-2099-U \$0.56960/Ccf	GSS-2099-I & GSS-2099-U \$0.56960/Ccf	GSLV-630-I & GSLV-630-U \$0.56960/Ccf
Tyler (Storage)		\$0.00330/Ccf	\$0.00330/Ccf	\$0.00330/Ccf
Tyler (CRR)		\$0.11800/Ccf	\$0.11800/Ccf	\$0.11800/Ccf
Tyler (Total Filed with RRC)		\$0.69090/Ccf	\$0.69090/Ccf	\$0.69090/Ccf
Houston-Conroe (14.95 Pressure Base)(PGA)	December 2024	R-2099-I & R-2099-U \$0.58126/Ccf	GSS-2099-I & GSS-2099-U \$0.58126/Ccf	GSLV-630-I & GSLV-630-U \$0.58126/Ccf
Houston-Conroe (14.95 Pressure Base)(Storage)		\$0.00337/Ccf	\$0.00337/Ccf	\$0.00337/Ccf
Houston-Conroe (14.95 Pressure Base) (CRR)		\$0.12042/Ccf	\$0.12042/Ccf	\$0.12042/Ccf
Houston-Conroe (14.95 Pressure Base)(Total Filed with RRC)		\$0.70505/Ccf	\$0.70505/Ccf	\$0.70505/Ccf
Texas Coast (14.65 Pressure Base)(PGA)	December 2024	R-2099-I & R-2099-U N/A	GSS-2099-I & GSS-2099-U N/A	GSLV-630-I & GSLV-630-U \$0.56960/Ccf
Texas Coast (14.65 Pressure Base)(Storage)		N/A	N/A	\$0.00330/Ccf
Texas Coast (14.65 Pressure Base) (CRR)		N/A	N/A	\$0.11800/Ccf
Texas Coast (14.65 Pressure Base)(Total Filed with RRC)		N/A	N/A	\$0.69090/Ccf
Texas Coast (14.95 Pressure Base)(PGA)	December 2024	R-2099-I & R-2099-U \$0.58126/Ccf	GSS-2099-I & GSS-2099-U \$0.58126/Ccf	GSLV-630-I & GSLV-630-U N/A
Texas Coast (14.95 Pressure Base)(Storage)		\$0.00337/Ccf	\$0.00337/Ccf	N/A
Texas Coast (14.95 Pressure Base) (CRR)		\$0.12042/Ccf	\$0.12042/Ccf	N/A
Texas Coast (14.95 Pressure Base)(Total Filed with RRC)		\$0.70505/Ccf	\$0.70505/Ccf	N/A

**CENTERPOINT ENERGY TEXAS
PURCHASED GAS ADJUSTMENTS (PGA)**



NOVEMBER 27 2024

Division	Billing Month	Residential Rate Schedule & PGA	General Service-Small Rate Schedule & PGA	General Service-Large Rate Schedule & PGA
Beaumont (PGA)	November 24	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
Beaumont (Storage)		\$0.58126/Ccf	\$0.58126/Ccf	\$0.56960/Ccf
Beaumont (CRR)		\$0.00345/Ccf	\$0.00345/Ccf	\$0.00338/Ccf
Beaumont (Total Filed with RRC)		\$0.12042/Ccf	\$0.12042/Ccf	\$0.11800/Ccf
		\$0.70513/Ccf	\$0.70513/Ccf	\$0.69098/Ccf
East Texas	November 24	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
East Texas (Storage)		\$0.56960/Ccf	\$0.56960/Ccf	\$0.56960/Ccf
East Texas (CRR)		\$0.00338/Ccf	\$0.00338/Ccf	\$0.00338/Ccf
East Texas (Total Filed with RRC)		\$0.11800/Ccf	\$0.11800/Ccf	\$0.11800/Ccf
		\$0.69098/Ccf	\$0.69098/Ccf	\$0.69098/Ccf
North East Texas	November 24	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
North East Texas (Storage)		\$0.57274/Ccf	\$0.57274/Ccf	\$0.56960/Ccf
North East Texas (CRR)		\$0.00340/Ccf	\$0.00340/Ccf	\$0.00338/Ccf
North East Texas (Total Filed with RRC)		\$0.11864/Ccf	\$0.11864/Ccf	\$0.11800/Ccf
		\$0.69478/Ccf	\$0.69478/Ccf	\$0.69098/Ccf
South Texas (14.65 Pressure Base)(PGA)	November 24	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
South Texas (14.65 Pressure Base)(Storage)		\$0.56960/Ccf	\$0.56960/Ccf	\$0.56960/Ccf
South Texas (14.65 Pressure Base) (CRR)		\$0.00338/Ccf	\$0.00338/Ccf	\$0.00338/Ccf
South Texas (14.65 Pressure Base)(Total Filed with RRC)		\$0.11800/Ccf	\$0.11800/Ccf	\$0.11800/Ccf
		\$0.69098/Ccf	\$0.69098/Ccf	\$0.69098/Ccf
South Texas (14.95 Pressure Base)(PGA)	November 24	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
South Texas (14.95 Pressure Base)(Storage)		\$0.58126/Ccf	\$0.58126/Ccf	N/A
South Texas (14.95 Pressure Base) (CRR)		\$0.00345/Ccf	\$0.00345/Ccf	N/A
South Texas (14.95 Pressure Base)(Total Filed with RRC)		\$0.12042/Ccf	\$0.12042/Ccf	N/A
		\$0.70513/Ccf	\$0.70513/Ccf	N/A
Tyler (PGA)	November 24	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
Tyler (Storage)		\$0.56960/Ccf	\$0.56960/Ccf	\$0.56960/Ccf
Tyler (CRR)		\$0.00338/Ccf	\$0.00338/Ccf	\$0.00338/Ccf
Tyler (Total Filed with RRC)		\$0.11800/Ccf	\$0.11800/Ccf	\$0.11800/Ccf
		\$0.69098/Ccf	\$0.69098/Ccf	\$0.69098/Ccf
Houston-Conroe (14.95 Pressure Base)(PGA)	November 24	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
Houston-Conroe (14.95 Pressure Base)(Storage)		\$0.58126/Ccf	\$0.58126/Ccf	\$0.58126/Ccf
Houston-Conroe (14.95 Pressure Base) (CRR)		\$0.00345/Ccf	\$0.00345/Ccf	\$0.00345/Ccf
Houston-Conroe (14.95 Pressure Base)(Total Filed with RRC)		\$0.12042/Ccf	\$0.12042/Ccf	\$0.12042/Ccf
		\$0.70513/Ccf	\$0.70513/Ccf	\$0.70513/Ccf
Texas Coast (14.65 Pressure Base)(PGA)	November 24	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
Texas Coast (14.65 Pressure Base)(Storage)		N/A	N/A	\$0.56960/Ccf
Texas Coast (14.65 Pressure Base) (CRR)		N/A	N/A	\$0.00338/Ccf
Texas Coast (14.65 Pressure Base)(Total Filed with RRC)		N/A	N/A	\$0.11800/Ccf
		N/A	N/A	\$0.69098/Ccf
Texas Coast (14.95 Pressure Base)(PGA)	November 24	R-2099-I & R-2099-U	GSS-2099-I & GSS-2099-U	GSLV-630-I & GSLV-630-U
Texas Coast (14.95 Pressure Base)(Storage)		\$0.58126/Ccf	\$0.58126/Ccf	N/A
Texas Coast (14.95 Pressure Base) (CRR)		\$0.00345/Ccf	\$0.00345/Ccf	N/A
Texas Coast (14.95 Pressure Base)(Total Filed with RRC)		\$0.12042/Ccf	\$0.12042/Ccf	N/A
		\$0.70513/Ccf	\$0.70513/Ccf	N/A